Ref No.	SABITORIZAI 3000 1L×6/CS	Date Prepared	22-May-03
2858-05	Yokohama Oils & Fats Industry	Date Revised	25-Jul-18
			Ver.11_05

# <u>Safety Data Sheet (SDS)</u>

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product ID	SABITORIZAI 3000 1L×6/CS
Product Code	2858
Company Name	Yokohama Oils & Fats Industry Co., LTD.
Address	1-1 Minamisengen-cho, Nishi-ku, Yokohama,
Department in Charge	Department of Technology & Development
Personnel in Charge	Hajime Hirasawa
Phone	+81-45-311-4701
Fax	+81-463-89-1330
Emergency Contact	+81-45-311-4704
Recommended Use and Usage Restrictions	Removal of iron powder in aautomobile body and aluminum wheels. All color correspondence.
Date Prepared	22-May-03
Date Revised	25-Jul-18
Ref No.	2858-05

## 2. HAZARDS IDENTIFICATION

## **GHS Category**

Not applicable to hazardous or toxic substances

\* Items unmentioned are either out of category, not classified, or classification not possible.

## GHS label elements

## Symbol

No symbol

## Signal word

No signal word

## Hazard statement

None

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

# Chemical substance • Single / Mixture

Mixture

Component / Chemical Name	Content (wt%)	CAS No.	MITI No.
Ammonium 2-sulfanylacetate	15~25	5421-46-5	Registered
Nonionic surfactant	Confidentia	Registered	Registered

Ref No.	SABITORIZAI 3000 1L×6/CS	Date Prepared	22-May-03
2858-05	Yokohama Oils & Fats Industry	Date Revised	25-Jul-18
		-	Ver.11_05

## Substances subject to notification restricted by PRTR Law

Not applicable Contains less than 1% applicable substances

#### Poisonous and Deleterious Substances Control Law

Not applicable Contains no applicable substance

#### Industrial Safety and Health Law

Subject to notification : Article 57-2 of Act, appended table 9 of article 18 of Order Harmful substance subject to notification

Not applicable Contains no applicable substance

Industrial Safety and Health Law

Subject to indication : Article 57-2 of Act, appended table 9 of article 18 of Order Harmful substance subject to indication

Not applicable Contains no applicable substance

Ordinance on the Prevention of Organic Solvent Poisoning

Not applicable Contains no applicable substance

## 4. FIRST AID MEASURES

#### IF MASSLY INHALED

· If you feel unwell after inhaling, remove to fresh air and keep at rest in a position comfortable for breathing.

- •Seek medical attention if you do not recover from illness.
- If victim vomits, and is still breathing, turn head sideways.
- If victim is breathing weak, give artificial respiration or oxygen inhalation.
- ·Seek medical attention if above symptoms appear.

#### IF ON SKIN

·Flush immediately with water and wash thoroughly with soap.

- •Remove/take off immediately all contaminated clothing and flush skin with water.
- ·Seek medical attention if you feel unwell.
- •Wash contaminated clothing before reuse.

#### IF IN EYES

•Rinse eyes with clean water for at least 15 minutes. Use fingers to open eyelid and wash thoroughly throughout every part of the eye including eyeball and eyelid.

• Remove contact lenses unless firmly stuck to the eye and continue to rinse.

·Seek medical attention after rinsing.

·Seek immediate medical attention if you have severe pain.

#### **IF SWALLOWED**

•Immediately rinse mouth with water.

Seek immediate medical attention.

• Do not induce vomiting.

·Seek immediate medical attention if a child has possibly swallowed the product.

#### MOST IMPORTANT SIGN AND SYMPTOM

None in particular

#### **PROTECTION FOR FIRST-AIDERS**

•None in particular

#### SPECIAL PRECAUTIONS FOR PHYSICIANS

•None in particular

Ref No.	SABITORIZAI 3000 1L×6/CS	Date Prepared	22-May-03
2858-05	Yokohama Oils & Fats Industry	Date Revised	25-Jul-18
			Ver.11 05

## 5. FIRE-FIGHTING MEASURES

## **EXTINGUISHING MEDIA**

• Product itself is non-combustible.

#### SPECIFIC FIRE-FIGHTING PROCEDURE

• Take fire-fighting procedures from upwind as much as possible.

- •Evacuate unauthorized people from the area and lead them to a safe place.
- •Move container from fire area if it can be done without risk.

•Seal off the area to unauthorized people.

• Cool surrounding area with water spray to prevent temperature rising of peripheral facilities that could be caused by radiation heat.

•Take appropriate measures to prevent environment-affecting substances from flowing out.

#### **PROTECTION FOR FIRE-FIGHTERS**

• Apply suitable equipment such as gloves, goggles, and mask.

•Take procedures from upwind and avoid inhalation of toxic gas. Wear respiratory equipment as needed.

## 6. ACCIDENTAL RELEASE MEASURES

#### PRECAUTIONS FOR HUMAN BODY, PROTECTIVE EQUIPMENT AND EMERGENCY MEASURES

·Ventilate area until well after the fire is out.

- •Wear gloves, goggles, and protective clothing when taking measures against leakage.
- ·Seal off the spilled area by stretching ropes.
- •Wear suitable equipment to avoid skin contact and inhalation of dust /gas.
- •Take measures from upwind and evacuate unprotected personnel from downwind.
- Prepare extinguishing tools and equipments for possible ignition.
- •Watch your step ; spilled area is slippery.

#### TO PREVENT ENVIRONMENTAL POLLUTION

•Do not let spills flow into rivers to prevent environmental contamination.

## METHODS AND MATERIALS FOE CONTAINMENT AND CLEANING UP

## COLLECTION AND NEUTRALIZATION

• Small amount release ; absorb spills with absorbant (sawdust, soil, sand, cloth, etc.) and wipe remains with cloth. Collect absorbants in a sealable container for disposal.

- ·Large amount release ; prevent outflow by mounting soil and take procedures after channelling it to a safe place.
- •Absorb remains with soil or sawdust.
- Contaminated materials and waste must be disposed in compliance with all relevant regulations.

#### TO PREVENT SECONDARY DISASTER

•In case of accidental release, you must report to relevant authority without delay in order to prevent possible accident and expansion.

Ref No.	SABITORIZAI 3000 1L×6/CS	Date Prepared	22-May-03
2858-05	Yokohama Oils & Fats Industry	Date Revised	25-Jul-18
			Ver.11_05

## 7. HANDLING AND STORAGE

## HANDLING

#### **Technological Countermeasures**

•Read thoroughly the usage precautions. Do not use product for other purposes.

•Do not inhale dust, smoke, gas, mist, vapor, or fume.

•Use at outdoors or well-ventillated areas.

## STORAGE

## CONDITION FOR SAFE STORAGE

•Read storage conditions on label and store properly.

•Keep container tightly closed.

·Keep away from direct sunlight. Avoid exposing to temperature over 40 deg.

#### SAFE PACKAGE MATERIALS

Reacts with metal. Therfore, use glass, potery, polyethylene and so on.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

## FACILITY MEASURES

·Local ventilation system is required for vapor/smoke/mist releasing conditions.

Blanks and "-" is equal to "no data".

Component/Chemical Name	Control Limit	Exposure Limit
Ammonium 2-sulfanylacetate	—	_
Nonionic surfactant	_	_

#### PERSONAL PROTECTIVE EQUIPMENT

#### **Respiratory Protection**

•Wear protective mask as needed.

#### Hand Protection

•Wear protective gloves. Wear solvent-resistant gloves or vinyl gloves as needed.

#### **Eye Protection**

•Wear protective goggles. Wear chemical goggles or face shield as needed.

#### Skin and body protection

•Wear body suit or protective apron.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Colorless~Light purple liquid
Odour	: Singular raw material odor
Odour threshold	: Not available
pH	: 6.2
Melting Point/Freezing Point	: Not available
Boiling Point, Boiling Range	: Not available
Flash Point	: None

Ref No.	SABITORIZAI 3000	1L×6/CS	Date Prepared	22-May-03
2858-05	Yokohama Oils & Fat	s Industry	Date Revised	25-Jul-18
Auto-Ignition Flammability	n Temperature	But it m oxidizin (In the : This pro But it m oxidizin	case of high concent duct does not burn. ay ignite on contact	ration) : with
Flammable/E	Explosive Limit	:Not available		
Vapor Press	ure	: Not available		
Vapor Densi	ty	: Not available		
Evaporation	Rate	: Not available		
Specific Gra	vity	: 1.08		
Solubility		: Soluble		
Partition Coefficient n–Octanol/Water		:Not avai	lable	
Decompositi	on Temperature	:Not avai	lable	
Viscosity		:Not avai	lable	
Other Data		:Not avai	lable	

## **10. STABILITY AND REACTIVITY**

#### Reactivity

#### **Chemical Stability**

• Stable under usual handling condition.

#### **Possibility of Hazardous Reactions**

• When it is a reducing agent and mixed with an oxidizing aagent, oxigen is generated.

Conditions to Avoid

•None in particular

#### **Incompatible Materials**

Oxidant

#### Hazardous Decomposition Products

•None in particular

#### Others

•None in particular

## 11. TOXICOLOGICAL INFORMATION

Toxicological Information of Indivisual Component : Blank means "below cutoff limit set by GHS or no data".

Component/ Chemical Name	Acute Toxicity (Oral)	Acute Toxicity (Dermal)	Acute Toxicity (Inhalation : gas)	Acute Toxicity (Inhalation : vapor)	Acute Toxicity (Inhalation : dust, mist)	Skin Corrosiveness/ Irritation	Serious Eye Damage∕ Eye Irritation
Ammonium 2- sulfanylacetat e	Classification not possible	Classification not possible	Not applicable	Classification not possible	Classification not possible	Classification not possible	Classification not possible
Nonionic surfactant	Category4	Category4	Not applicable	Classification not possible	Classification not possible	Not classified	Category2A

Ref No.	SABITORIZAI 3000 1L×6/CS	Date Prepared	22-May-03
2858-05	Yokohama Oils & Fats Industry	Date Revised	25-Jul-18

Ver	11	05
		_00

Component Chemical Name	Respiratory or Skin Sensitization	Germ Cell Mutagenesis	Carcinogenecity	Reproductive Toxicity	Target organ toxicity (single exposure)		Aspiration Hazard
Ammonium 2- sulfanylacetat e	Classification not possibleNot applicable/Cla ssification not possible	Classification	Classification not possible	Classification not possible	Classification not possible	Classification not possible	Classification not possible
Nonionic surfactant	Classification not possible/Not classified	Not classified	Classification not possible	Not classified	Classification not possible	Classification not possible	Classification not possible

# 12. ECOLOGICAL INFORMATION

Hazardous information of indivisual component : Blank means "below cutoff limit set by GHS" or "no data".

Component/ Chemical Name	Hazardous to the aquatic environment (acute)	Hazardous to the aquatic environment (chronic)
Ammonium 2- sulfanylacetat e	Classification not possible	Classification not possible
Nonionic surfactant	Category2	Classification not possible

Hazardous to the ozone layer : Not applicable

## **13. DISPOSAL CONSIDERATIONS**

•Disposal of contents/container must be entrusted to officially approved waste dispoal dealers.

## **14. TRANSPORT INFORMATION**

### INTERNATIONAL REGULATIONS

**UN Class** 

Not applicable

## **UN Number**

Not applicable

Packing Group : Not applicable

Marine pollutant : Not applicable

## **Domestic Regulations :**

## Container Yellow Label

Not applicable

#### Specific Safety Measures and Conditions for Transport

•Make sure that there are no breaks or leaks from package.

- •Ensure to avoid collapse and damage.
- ·Package, label, and transport must comply with relevant regulations.
- •Avoid direct sunlight.
- •Keep dry. Dangerous if contacted with water.
- •Do not load side-ways.
- Do not place directly on heated steel or ground during transport.
- •Handle with care. Do not add shock to container. Avoid fall or crash.

Ref No.	SABITORIZAI 3000 1L×6/CS	Date Prepared	22-May-03
2858-05	Yokohama Oils & Fats Industry	Date Revised	25-Jul-18

Ver.11\_05

# 15. REGULATORY INFORMATION (Japanese legislation)

## Explosives Law

Not restricted

# High Pressure Gas Safety Act

Not restricted

# Fire Defense Law : Restricted storage limit is shown in ( )

Not applicable (as Hazardous Substances of Fire Service Law)

Non-combustible

# Poisonous and Deleterious Substances Control Act

## Not applicable

(contains no restricted substance, refer to 3. COMPOSITION/INFORMATION ON INGREDIENTS for details)

## Industrial Safety and Health Act :

Contains no notifiable sustance (refer to 3. COMPOSITION/INFORMATION ON INGREDIENTS for details)

Contains no indicatable sustance (refer to 3. COMPOSITION/INFORMATION ON INGREDIENTS for details)

#### Industrial Safety and Health Act (Ordinance on the Prevention of Organic Solvent Poisoning) :

Not applicable Contains no restricted substances

(refer to 3. COMPOSITION/INFORMATION ON INGREDIENTS for details)

## Industrial Safety and Health Act (Dangerous Goods) :

Not applicable

## Pollutant Release and Transfer Register Law (PRTR) :

Not applicable ; contains less than 1% (refer to 3. COMPOSITION/INFORMATION ON INGREDIENTS for details)

## **16. OTHER INFORMATIONS**

Classification of Chemicals Based on GHS JIS Z7252:2009

Hazard Communication of Chemicals Based on GHS-Labelling and Safety Data Sheet (SDS) JIS Z7253:2012

GHS Category Database (National Institute of Technology and Evaluation homepage)

Japan Advanced Information Center of Safety and Health homepage

Japan Auto Chemical Industry Association (JACA) edited : Management of Chemical Substances Database

Guideline for MSDS of Auto Chemical Products (JACA)

Regulations for Carriage and Storage of Dangerous Goods in Ships (Kaibundo)

#### 

SDS is presented to dealers and customers as reference informations to retain safety handling of the hazardous chemical product. Dealers and customers are encouraged to refer to this information and realize the necessity to conduct appropriate measurement suitable for the actual conditions of each use with your own responsibility. Therefore this data sheet is not a safety warranty.