Date of first issue 1997/01/10 Date of revised 2019/08/13

# SAFETY DATA SHEET

## 1 . IDENTIFICATION

Name of chemical substances:WATER-BASED AQUEOUS MULTIPURPOSE PAINT WHITE Kinds of product:Acrylic resins emulsion paint Company name:SUNDAY PAINT Co.,Ltd Address:6F SR Building NAGAHORI,1-18-11, MINAMISEMBA, CHUO-KU, OSAKA 542-0081 Japan Section in charge:Mayor of customer service Phone number:+81-6-6266-3150 FAX number:+81-6-6266-3146 Emergency telephone number:+81-6-6266-3150 Reference number:300386 Use:For general

#### 2 . HAZARDS IDENTIFICATION GHS classification:

GHS classification:	
Physicochemical Hazards:	
Explosives	:Classification not possible
Flammable gases	:Not applicable
Flammable aerosols	:Not applicable
Oxidizing gases	:Not applicable
Gases under pressure	:Not applicable
Flammable liquids	:Not classified
Flammable solids	:Not applicable
Self-reactive substances and mixtures	:Classification not possible
Pyrophoric liquids	:Classification not possible
Pyrophoric solids	:Not applicable
Self-heating substances and mixtures	:Classification not possible
Substances and mixtures which,	
in contact with water, emit flam	
mable gases	:Classification not possible
Oxidizing liquids	:Classification not possible
Oxidizing solids	:Not applicable
Organic peroxides	:Classification not possible
Corrosive to metals	:Classification not possible
Health hazards:	
Acute toxicity - oral	:Not classified
Acute toxicity - dermal	:Not classified
Acute toxicity-inhalation/gases	:Not applicable
Acute toxicity-inhalation/yases	Not appricable
Acute toxicity-inhalation/dusts	.Not crassified
and mists	Catagory A
Skin corrosion / irritation	:Category 4 :Not classified
Serious eye damage /irritation	:Category 2 :Not classified
Respiratory sensitization	
Skin sensitization	:Not classified
Germ cell mutagenicity	:Not classified
Carcinogenicity	:Category 1
Reproductive toxicity	:Category 1
Specific target organ systemic	
toxicity (single exposure)	:Category 1
	(Respiratory or gans, Heart, Kidney, Central nervous s
	ystem)
Specific target organ systemic	
toxicity (repeated exposure)	:Category 1
<b>.</b>	(Respiratory or gans , Heart , Central nervous system)
Aspiration toxicity	:Not classified
Environmental hazards:	

Hazardous to the aquatic environment (acute toxicity) :Category 3 Hazardous to the aquatic environment (chronic toxicity) :Not classified GHS label elements: Pictogram or symbol: Signal words:Danger Hazard statement: Harmful if inhaled. Causes serious eye irritation. May cause cancer. May damage fertility or the unborn child Causes damage to or gans Respiratory or gans, Heart, Kidney, Central nervous system. Causes damage to or gansRespiratory or gans, Heart, Central nervous systemthrough prolonged or repeated exposure. Harmful to aquatic life. Precautionary statements: Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wear eye/face protection as specified by the manufacturer/supplier or the competent autho rity. Avoid release to the environment-if this is not the intended use. First aid measures: If exposing it: Contact the doctor. Get medical attention/advice if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention. Storage: Store locked up. Disposal: Dispose of contents/container to accordance with local/regional/national/international regulation. 3 . COMPOSITION / INFORMATION ON INGREDIENTS Classification of the substance or mixture: A mixture. Chemical or generic name:No information Chemical characteristic (chemical formulas):No information Poisonous and Deleterious Substances Control Act:No correspond Component name: CAS no Industrial Safetv Poisonous and Dele Pollutant Release Ingredient name Content (%) and Health Act terious Substances and Transfer Regis Control Act ter Law titanium dioxide 13463-67-7 10.0~20.0 ethylene glycol 107-21-1  $1.0 \sim 10.0$ aluminium oxide 1344-28-1 0.1~1 silica 7631-86-9 0.1~1 Mineral oil 72623-86-0 0.1~1 4 . FIRST AID MEASURES Inhalation: If inhaled vapour or gases and felt unwell, remove to fresh air and keep at rest in a position comfortable for breathing. And call a doctor /physician if feels unwell.

If inhaled vapour or gases in large quantities, remove to fresh air and rest with keeping war

m. And if breathing gets irregular or stops, perform article respiration. And do not let swa llow vormit. Consult a doctor/ physician immediately. Skin contact: Wipe off clinging substace with clean cloth quickly. Wash off thoroughly with plenty of water and soap. Do not use solvent or paint thinner. If any change of appearance is seen, or pain persists and feels unwell, cosult a doctor/physician. Eve contact: Wash off with plenty of clean water immediately for 15 minutes or more. And remove contact lens , if presence and easy to do. And completely wash it inclouding the underside of evelid. Consult a physician as soon as possible. Call a POISON CENTER or doctor/physician immediately. Ingestion: If swallowed accidentally, rest and consult a doctor/physician immediately. Do not let swallow vomit. Avoid forcing to vomit without physician's instraction. The protection of the person taking first aid mesure.: Wear proper protectors ( safety goggles, respirator, gloves, etc.) Ventilate 5 . FIRE-FIGHTING MEASURES Extinguishing compositions: All extinguishant. Special fire extinguishing method(protection of fire-fighting person): Perform fire fighting in cope with protecting to fire neighbor. 6 . ACCIDENTAL RELEASE MEASURES Personal precautions, protective equipment and emergency procedures: Wear proper protectors (safety goggles, respirator, gloves, apron.etc.) Declare off-limits of the outskirts and do not bring it close anyone other than the person concerned and prevent a second disaster. Enviromental precautions: Take causions not to cause influence on environment by discharge to river. Methods and materials for containment and cleaning up: Dispose of waste or clinging matter according to related regulation. Recollect leakage in the container can be sealed and keep in safety place. 7 . HANDLING AND STORAGE Handling: Handling technical measures: Handle in good ventilated area. Close container tightly with closer after use. Wear proper protectors to prevent from contact on skin, mucous membrane, wearing clothes an d eves. Wash hands and face well after handling, and avoid to bring polluted protectors in any place where person stays. Storage: Strage, technical measures: Avoid a direct sunlight. Keep in good ventilated place. 8 . EXPOSURE CONTROLS / PERSONAL PROTECTION Taking measures for equipments: Consider so that the operator can not touch or expose to corrosive substance directly. In door application, use either not to expose the operator directly, such as using automatic painting machinees, or that keeps the operator from expsure, such as loacal exhaust ventilation equipment. Management density / permission density: Chemical substance name ACGIH\_TLV-C ppm ACGIH\_TLV-C mg/m3 Skin ethylene glycol 100 Chemical substance name ACGIH\_TWA ppm ACGIH\_TWA mg/m3 Skin

titanium dioxide aluminium oxide	10 10
	10
Chemical substance name titanium dioxide	IARC 3
Protective equipment: Respiratory protective equipmen In working,wear proper pro Hand protective equipment:	ction mask.
Wear the glove that organi Eyes protective equipment: Wear protective eyeglasses	solvents or chemicals can not permeate through.
Skin and body protective equipm Wear suitable clothing tha of skin in handling.	
Other information: Wear electricity shoes on el	rostatic painting.
9 . PHYSICAL AND CHEMICAL PROPERTIES Appearance: Physical state:Liquid Colour:White system Odour:No information pH:9.5 Melting point/freezing point:No information Initial boiling point and boiling range:100[]~100[] Flash point: Auto-ignition temperature(ignition point):No information Flammability (solid, gas):No information Upper/lower flammability or exprosive limits:0[vol %] / 0[vol %] Vapor pressure:No information Vapour density:No information Evaporation rate:No information Specific gravity (relative density):1.27 Solubility: Solubility in water:No information Dissolubility in solvent:No information Dissolubility in solvent:No information Partition coefficient:n-octanol/water:No pertinence. Decomposition temperature:No information	
1 0 . STABILITY AND REACTIVITY Conditions to avoid: Avoid high temperature. Avoid an impact./ Avoid a vi	ation.
Hazardous decomposition products:	ecular weight monomers are emitted.
1 1 . TOXICOLOGICAL INFORMATION Acute toxicity: ethylene glycol LD50(oral)	4000mg/kg(4h)
LD50(dermal) aluminium oxide	10600mg/kg(4h)
LD50(oral) Mineral oil	at > 5000mg/kg
LD50(oral)	at > 5000mg/kg
LD50(dermal) Skin corrosion/irritation: ethylene glycol Categor Mineral oil Category 3	rat > 5000mg/kg

```
Serious eye damage /irritation:
            titanium dioxide Category 2B
            ethylene glycol Category 2B
            Mineral oil Category 2B
   Mutagenicity (germ cell mutagenicity):
            Mineral oil Category 2
   Carcinogenicity:
            Mineral oil Category 1A
   Reproductive toxicity:
            ethylene glycol Category 1B
   Specific target organ / systemic toxicity - single exposure:
            titanium dioxide Category 3
            (Respiratory tract irritation)
            ethylene glycol Category 1
            (Respiratory or gans, Heart, Kidney, Central nervous system)
            Mineral oil Category 2
            (Lungs)
   Specific target organ / systemic toxicity - repeated exposure:
            ethylene glycol Category 1
            (Respiratory or gans, Heart, Central nervous system)
            Mineral oil Category 1
            (Lungs, Skin)
   Aspiration hazard:
            Mineral oil Category 1
1 2 . ECOLOGICAL INFORMATION
     Take care for spills or waste in handling because of its environmental impact. Especially take
     care for product or rinsing water not to flow into ground, river and drain directly.
   Hazardous to the aquatic environment - Chronic hazard:
            titanium dioxide Category 4
1 3 . DISPOSAL CONSIDERATIONS
   Residual waste:
        Let authorized industrial waste disposing agent to dispose of abolished paint, containers and
         others under agreement.
        Dispose of abolished paint, materials and waste from incineration in accordance with
        regulation or laws of "Specified Hazardous Industrial Wastes" of Special Controlled
        Industrial Waste.
        Must not dispose of waste water from washing container, machinery and etc. into the ground or
         drain without treatment.
        Dispose of waste from waste water treatment, incineration and etc. in accordance with
        regulation or laws relating to disposal and cleaning of waste, or let special
        disposing agent to dispose.
   Polluted container and packing:
        Let authorized industrial waste disposing agent to dispose of them under agreement.
        Dispose of used container after removing contents completely.
1 4 . TRANSPORT INFORMATION
     After confirming the state of container had no leakage, and load to prevent collapsing, fall and
      damage.
     Obey the discription of "Handling and Strage"
     Land transportation:
          If falling under "Fire Service Act", "Industrial Safety and Health Act" or
          "Poisonous and Deleterious Substances Control Act", obey the transport
          method regulated in each law.
     Marine transportation:
          Obey the provisions of " Ship Safety Act"
     Air transportation:
          Obey the provisions of "Civil Aeronautics Act"
1 5 . REGULATORY INFORMATION
   Industrial Safety and Health Act:
        Article 57-2, notifiable substances
```

## 1 6 . OTHER INFORMATION

Literatures:

"Raw Materials Database" edited by Japan Paint Manufacturers Association "Materials Safety Data Sheet Guide (Mixture)" edited by Japan Paint Manufacturers Association "Solvent Pocket Book" Ohmsha, Ltd.

The Handbook for Precautions and First Aids to Dangerous Goods. International Chemical Safety Cards.

### Other information:

This SDS is necessary to handle our manufacture property and gathered up the matter which must be paid attention briefly for normal handling. However the content noted above is prepared based on information or data available at yhe present, the evaluation of hazardousness and harmfulness is not adequate necessary, so be careful in handling. This SDS may be revised without notice by revising law or new knowledge.

This SDS is based on the standard of Japan Paint Manufacturers Association with Laws of Japan

but not from local government, accord to relevant local laws as required when handling.