

## 測試報告

號碼(No.) : CE/2016/80462

日期(Date) : 2016/08/09

頁數(Page): 1 of 11

## Test Report

凱士士企業股份有限公司  
KAI SUH SUH ENTERPRISE CO., LTD.  
台北市延平北路一段38號  
38, YEN PING N. RD., SEC. 1, TAIPEI, TAIWAN, R. O. C.



以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

樣品名稱(Sample Description) : NYLON CABLE TIE (NATURAL)/尼龍繫線帶(本色)  
樣品材質(Sample Material) : NYLON 66, 94V-2 (NATURAL)  
同材質/產品名稱/型號(Sample Material/Sample Description/Style/Item No.) : 請參考第4-8頁 (PLEASE REFER TO PAGE 4-8)  
收件日期(Sample Receiving Date) : 2016/08/02  
測試期間(Testing Period) : 2016/08/02 TO 2016/08/09

測試需求(Test Requested) : 依據客戶要求, 參考 RoHS 指令 2011/65/EU Annex II 測試鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚。(As specified by client, with reference to RoHS Directive 2011/65/EU Annex II to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs contents in the submitted sample.)

測試方法(Test Method) : 請見下一頁 (Please refer to next pages).

測試結果(Test Results) : 請見下一頁 (Please refer to next pages).

結論(Conclusion) : 根據客戶所提供的樣品, 其鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚的測試結果符合 RoHS 指令 2011/65/EU Annex II 之限值要求 (Based on the performed tests on submitted samples, the test result(s) of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs comply with the limits as set by RoHS Directive 2011/65/EU Annex II.)

  
Troy Chang, Manager-Tech  
Signed for and on behalf of  
SGS TAIWAN LTD.  
Chemical Laboratory - Taipei

# 測試報告

號碼(No.) : CE/2016/80462

日期(Date) : 2016/08/09

頁數(Page): 2 of 11

## Test Report

凱士士企業股份有限公司  
KAI SUH SUH ENTERPRISE CO., LTD.

台北市延平北路一段38號  
38, YEN PING N. RD., SEC. 1, TAIPEI, TAIWAN, R. O. C.



### 測試結果(Test Results)

測試部位(PART NAME)No. 1 : 半透明塑膠 (TRANSLUCENT PLASTIC)

| 測試項目<br>(Test Items)                | 單位<br>(Unit) | 測試方法<br>(Method)   | 方法偵測<br>極限值<br>(MDL) | 結果<br>(Result) | 限值<br>(Limit) |
|-------------------------------------|--------------|--|----------------------|----------------|---------------|
|                                     |              |  |                      | No. 1          |               |
| 鎘 / Cadmium (Cd)                    | mg/kg        | 參考IEC 62321-5 (2013), 以感應耦合電漿<br>原子發射光譜儀檢測. / With reference<br>to IEC 62321-5 (2013) and performed by<br>ICP-AES. | 2                    | n. d.          | 100           |
| 鉛 / Lead (Pb)                       | mg/kg        |  | 2                    | n. d.          | 1000          |
| 汞 / Mercury (Hg)                    | mg/kg        |  | 2                    | n. d.          | 1000          |
| 六價鉻 / Hexavalent Chromium<br>Cr(VI) | mg/kg        | 參考IEC 62321 (2008), 以UV-VIS檢測. /<br>With reference to IEC 62321 (2008) and<br>performed by UV-VIS.                 | 2                    | n. d.          | 1000          |
| 多溴聯苯總和 / Sum of PBBs                | mg/kg        | 參考IEC 62321-6 (2015), 以氣相層析/質<br>譜儀檢測. / With reference to IEC<br>62321-6 (2015) and performed by GC/MS.           | -                    | n. d.          | 1000          |
| 一溴聯苯 / Monobromobiphenyl            | mg/kg        |  | 5                    | n. d.          | -             |
| 二溴聯苯 / Dibromobiphenyl              | mg/kg        |  | 5                    | n. d.          | -             |
| 三溴聯苯 / Tribromobiphenyl             | mg/kg        |  | 5                    | n. d.          | -             |
| 四溴聯苯 / Tetrabromobiphenyl           | mg/kg        |  | 5                    | n. d.          | -             |
| 五溴聯苯 / Pentabromobiphenyl           | mg/kg        |  | 5                    | n. d.          | -             |
| 六溴聯苯 / Hexabromobiphenyl            | mg/kg        |  | 5                    | n. d.          | -             |
| 七溴聯苯 / Heptabromobiphenyl           | mg/kg        |  | 5                    | n. d.          | -             |
| 八溴聯苯 / Octabromobiphenyl            | mg/kg        |  | 5                    | n. d.          | -             |
| 九溴聯苯 / Nonabromobiphenyl            | mg/kg        |  | 5                    | n. d.          | -             |
| 十溴聯苯 / Decabromobiphenyl            | mg/kg        | 5  | n. d.                | -              |               |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# 測試報告

號碼(No.) : CE/2016/80462

日期(Date) : 2016/08/09

頁數(Page): 3 of 11

## Test Report

凱士士企業股份有限公司

KAI SUH SUH ENTERPRISE CO., LTD.

台北市延平北路一段38號

38, YEN PING N. RD., SEC. 1, TAIPEI, TAIWAN, R. O. C.



| 測試項目<br>(Test Items)             | 單位<br>(Unit) | 測試方法<br>(Method)  | 方法偵測<br>極限值<br>(MDL) | 結果<br>(Result)<br>No. 1 | 限值<br>(Limit) |
|----------------------------------|--------------|---|----------------------|-------------------------|---------------|
|                                  |              |   |                      |                         |               |
| 多溴聯苯醚總和 / Sum of PBDEs           | mg/kg        | 參考IEC 62321-6 (2015), 以氣相層析/質譜儀檢測。 / With reference to IEC 62321-6 (2015) and performed by GC/MS. | -                    | n. d.                   | 1000          |
| 一溴聯苯醚 / Monobromodiphenyl ether  | mg/kg        |   | 5                    | n. d.                   | -             |
| 二溴聯苯醚 / Dibromodiphenyl ether    | mg/kg        |   | 5                    | n. d.                   | -             |
| 三溴聯苯醚 / Tribromodiphenyl ether   | mg/kg        |   | 5                    | n. d.                   | -             |
| 四溴聯苯醚 / Tetrabromodiphenyl ether | mg/kg        |   | 5                    | n. d.                   | -             |
| 五溴聯苯醚 / Pentabromodiphenyl ether | mg/kg        |   | 5                    | n. d.                   | -             |
| 六溴聯苯醚 / Hexabromodiphenyl ether  | mg/kg        |   | 5                    | n. d.                   | -             |
| 七溴聯苯醚 / Heptabromodiphenyl ether | mg/kg        |   | 5                    | n. d.                   | -             |
| 八溴聯苯醚 / Octabromodiphenyl ether  | mg/kg        |   | 5                    | n. d.                   | -             |
| 九溴聯苯醚 / Nonabromodiphenyl ether  | mg/kg        |   | 5                    | n. d.                   | -             |
| 十溴聯苯醚 / Decabromodiphenyl ether  | mg/kg        | 5   | n. d.                | -                       |               |

### 備註(Note) :

1. mg/kg = ppm ; 0.1wt% = 1000ppm
2. n. d. = Not Detected (未檢出)
3. MDL = Method Detection Limit (方法偵測極限值)
4. "-" = Not Regulated (無規格值)

## 測試報告

號碼(No.) : CE/2016/80462

日期(Date) : 2016/08/09

頁數(Page): 4 of 11

## Test Report

凱士士企業股份有限公司

KAI SUH SUH ENTERPRISE CO., LTD.

台北市延平北路一段38號

38, YEN PING N. RD., SEC. 1, TAIPEI, TAIWAN, R. O. C.



同材質/產品名稱/型號(Sample Material/Sample Description/Style/Item No.) :

|       |              |                                    |                            |
|-------|--------------|------------------------------------|----------------------------|
| NYLON | / 粘貼式扣線套     | ADHESIVE WIRE SADDLE               | /AWS                       |
| NYLON | / 可調式配線固定鈕   | ADJUSTABLE CABLE CLAMP             | /PC, AP, ATC               |
| NYLON | / 粘式PC隔離柱    | ADHESIVE PCB SUPPORT               | /MMR                       |
| NYLON | / 珠形紮線帶      | BEAD TIE                           | /TV                        |
| NYLON | / 壁虎型隔離柱     | BLIND HOLD PCB SUPPORT             | /BCS                       |
| NYLON | / 配線固定鈕      | CABLE CLAMP                        | /UC, KUC, TS, PTS, DCC, RC |
| NYLON | / 電纜槽固定紮線帶   | CABLE TRAY FIXING TIE              | /CTF                       |
| NYLON | / 鉚釘         | CANOE RIVET                        | /SN                        |
| NYLON | / 鉚釘         | DRIVE RIVET                        | /DN                        |
| NYLON | / 電容器座       | CAPACITOR HOUSING                  | /CAP                       |
| NYLON | / CATV固定座    | CATV SIDING CLIP                   | /CATV                      |
| NYLON | / 基板固定紮線帶    | CHASSIS TIE                        | /KFC, KFS                  |
| NYLON | / 基板固定可調式紮線帶 | MOUNTING ADJUSTABLE TIE            | /MAT                       |
| NYLON | / PC板耳把      | CIRCUIT BOARD EJECTOR              | /BE                        |
| NYLON | / PC板軌道      | CIRCUIT BOARD TRACK                | /BT                        |
| NYLON | / 夾入式扭線環     | CLIP TWIST TIE                     | /CTT                       |
| NYLON | / 閉端端子       | CLOSE - END WIRE CONNECTOR         | /CE                        |
| NYLON | / 圓錐體墊片      | CONOID WASHER                      | /CDW                       |
| NYLON | / 門扣         | DOOR LOCK                          | /DR                        |
| NYLON | / 雙頭式紮線帶     | DOUBLE HEAD CABLE TIE              | /DCV, RDCV                 |
| NYLON | / 雙扣式珠孔紮線帶   | DOUBLE HEAD KNOT TIE               | /KTV                       |
| NYLON | / 雙鎖式紮線帶     | DOUBLE LOCKING CABLE TIE           | /DL, DK                    |
| NYLON | / 雙導線夾線套     | DOUBLE ROUTING CLIP                | /DR                        |
| NYLON | / 快速型浪管固定頭   | EASY TYPE FLEXIBLE CONDUIT ADAPTOR | /BGQ, PAQ                  |
| NYLON | / 方型護線套      | EDGING WIRE SADDLE                 | /HL, ES                    |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

## 測試報告

號碼(No.) : CE/2016/80462

日期(Date) : 2016/08/09

頁數(Page): 5 of 11

## Test Report

凱士士企業股份有限公司

KAI SUH SUH ENTERPRISE CO., LTD.

台北市延平北路一段38號

38, YEN PING N. RD., SEC. 1, TAIPEI, TAIWAN, R. O. C.



|       |   |
|-------|---|
| NYLON | / 超寬型紮線帶 EXTRA HEAVY DUTY TIE /CV   |
| NYLON | / 排線固定夾 FLAT CABLE CLAMP /FC, FCT, FCP, FCW   |
| NYLON | / 浪管固定頭 FLEXIBLE CONDUIT ADAPTOR /BG  |
| NYLON | / 耐扭直角型電源線扣 FLEXIBLE RIGHT ANGLE STRAIN RELIEF BUSHING /SR  |
| NYLON | / 耐扭型電源線扣 FLEXIBLE STRAIN RELIEF BUSHING /SR  |
| NYLON | / 撥開式配線槽 FLEXIBLE WIRING DUCT /FD   |
| NYLON | / 腳墊 HEADBOARD WASHER /HBW  |
| NYLON | / 六角隔離柱 HEXAGONAL SPACER /HTN   |
| NYLON | / 六角內螺紋隔離柱 HEXAGONAL TAPPED SPACER /HTP   |
| NYLON | / 六角隔離柱 HEXAGONAL THREADED SPACER /HTS  |
| NYLON | / 扣式塞頭 HOLE PLUG /HP, HPA   |
| NYLON | / 插頭護蓋 HOUSING COVER /RHR   |
| NYLON | / 反穿式尼龍紮線帶 IN - LINE CABLE TIE /FCV, RRCV   |
| NYLON | / 固定珠孔紮線帶 KNOT TIE /BALL TYPE /TV, STV  |
| NYLON | / LED座 LED HOLDER /LD3, LE, LK, LX, LQT, LQ, LDT, LY, LG3, LG, LH, LHN, PLU, LHK, PLK, PLM, PLX, PLW, PLD1, PLD2, PLD4, PLT, PLR, PCL |
| NYLON | / 馬鞍型夾線套/鈎式 LOCKING WIRE SADDLE /KWS, WS  |
| NYLON | / 標誌銘牌 MARKER PLATE /MT   |
| NYLON | / 標誌靶 MARKER STRIP /MS  |
| NYLON | / 標示紮線帶 MARKER TIE /MCV   |
| NYLON | / 接線夾 MID - WAY WIRE CONNECTOR /KW  |
| NYLON | / 固定鎖式紮線帶 MOUNTING CABLE TIE /TCV, TCVS   |
| NYLON | / 粘貼式扭線環 MOUNTING TWIST TIE /TTB  |
| NYLON | / 電線固定夾 MOUNTING WIRE CLIP /MFC   |
| NYLON | / 自由絕緣保護套 MOVABLE BUSHING /KG-N   |
| NYLON | / N型夾線套 N TYPE WIRE SADDLE /PCC   |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

## 測試報告

號碼(No.) : CE/2016/80462

日期(Date) : 2016/08/09

頁數(Page): 6 of 11

## Test Report

凱士士企業股份有限公司

KAI SUH SUH ENTERPRISE CO., LTD.

台北市延平北路一段38號

38, YEN PING N. RD., SEC. 1, TAIPEI, TAIWAN, R. O. C.



NYLON / 熱敏電阻座 NTC THERMISTOR HOUSING /TRH  
 NYLON / 迫緊式電纜固定頭 NYLON CABLE GLAND /PG, AG, AGJ, EG, NPT  
 NYLON / 耐扭迫緊式電纜固定頭 NYLON CABLE GLAND /WITH STRAIN RELIEF  
 /PG, AG, EG, AGJ  
 NYLON / 尼龍螺帽 NYLON LOCK NUTS/EGH , AGH , NPTH , AGJH  
 NYLON / 尼龍紮線帶 NYLON CABLE TIE /CV, NV, CVT, LT  
 NYLON / 尼龍紮線帶/附阻擋點 NYLON CABLE TIE WITH STOPPER /CVS  
 NYLON / 推式隔離柱 PCB EDGE SPACER /ES  
 NYLON / PC板固定扣 PCB HINGE /PH  
 NYLON / PC板隔離柱 PCB SUPPORT /CS, MCS, LCA, SP, SPA, SPB, SPC, SPD, DS, EB, MS, BMS, HMS, TMS, MMS ,MMR, KCS, SPS, PB, PST, HGS, GS, SWS, LCS, LCL, PCU  
 NYLON / 塑膠螺絲 PLASTIC FASTENERS /PF, PN  
 NYLON / 雙扣扭線環 PURSE LOCK TWIST TIE /PL  
 NYLON / 插鞘式電源線結束帶 PUSH MOUNT COLLECT TIE /PHV  
 NYLON / 插鞘式紮線帶 PUSH MOUNT TIE /PCV, PCVS, PFVS, PGV, PSV, PWVS, PWV, PRVS  
 NYLON / 可退插鞘式紮線帶 RELEASIBLE PUSH MOUNT TIE /PDV, PUV, RPFVS  
 NYLON / PC板隔離頂柱 PUSH SPACER /PS  
 NYLON / 插鞘式固定座 PUSH TIE MOUNT /PHC, PFS  
 NYLON / 電纜固定頭轉接頭 ENLARGER GLANDS /M  
 NYLON / 電纜固定頭轉接頭 REDUCTION GLANDS /M  
 NYLON / 多孔外迫式電纜固定頭 MULTI-HOLE NYLON CABLE GLAND /AG, EG, AGJ, NPT  
 NYLON / 活用式紮線帶 RELEASIBLE CABLE TIE /HV, HVC, RCV  
 NYLON / 可退式紮線帶 RELEASIBLE LASHING CABLE TIE /HRCV  
 NYLON / 平底隔離柱 REVERSE LOCKING CIRCUIT BOARD SUPPORT /RS  
 NYLON / 直角型電纜固定頭 RIGHT ANGLE NYLON CABLE GLAND /NPTA  
 NYLON / 直角型電源線扣 RIGHT ANGLE STRAIN RELIEF BUSHING /SR  
 NYLON / 圓體隔離柱 ROUND SPACER /RSP

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

## 測試報告

號碼(No.) : CE/2016/80462

日期(Date) : 2016/08/09

頁數(Page): 7 of 11

## Test Report

凱士士企業股份有限公司

KAI SUH SUH ENTERPRISE CO., LTD.

台北市延平北路一段38號

38, YEN PING N. RD., SEC. 1, TAIPEI, TAIWAN, R. O. C.



|       |  |
|-------|--|
| NYLON | / 圓體墊片 ROUND WASHER /RW  |
| NYLON | / 固定鎖式繫線帶 SADDLE MOUNTING TIE /PMA                               |
| NYLON | / 繫線固定座 SADDLE TYPE TIE MOUNT /HC                                |
| NYLON | / 平底隔離柱 SCREW FASTENED PCB SUPPORT /CS, CSA, RLS, SCS            |
| NYLON | / 旋轉式鉚釘 SCREW ON RIVET /SR                                       |
| NYLON | / 旋轉式塞頭 SCREW PLUG /MSP, PSP                                     |
| NYLON | / 鉛封繫線帶 SECURITY TIE /SCT  |
| NYLON | / 粘式配線固定座 SELF - ADHESIVE CABLE CLAMP /4J, 6J, 8J, 10J, 11J, 12J |
| NYLON | / 粘式配線固定座 SELF - ADHESIVE TIE MOUNT /HC, VC                      |
| NYLON | / 粘式固定夾 SELF - ADHESIVE WIRE CLIP /FC, SWC                       |
| NYLON | / 壓扣式結束帶 SNAP BAND /SNB  |
| NYLON | / 扣式護線套 SNAP BUSHING /SB, RSB                                    |
| NYLON | / 開口型扣式護線套 SNAP BUSHING /OPEN / CLOSED /OSB                      |
| NYLON | / 尼龍鉚釘 SNAP RIVET /SR, SN  |
| NYLON | / 配線槽用鉚釘 SNAP RIVET /SR  |
| NYLON | / 尼龍捲式結束帶 NYLON SPIRAL WRAPPING BAND /KS                         |
| NYLON | / 高壓隔離線圈 SPACERS RING /SPR                                       |
| NYLON | / 方型護線套 SQUARE HEAD GROMMET NUT /SGN                             |
| NYLON | / 隔離扭線環 STANDOFF TWIST TIE /ST                                   |
| NYLON | / 電源線扣 STRAIN RELIEF BUSHING /SR                                 |
| NYLON | / 電晶體蓋 TRANSISTOR COVER /TH                                      |
| NYLON | / 電晶體座 TRANSISTOR HOUSING /TH, THR, TR                           |
| NYLON | / 電晶體墊片 TRANSISTOR WASHER /TW, TRW                               |
| NYLON | / 扣式扭線環 TWIST TIE /TT, TTU                                       |
| NYLON | / 壁虎型固定座 WALL PLUG MOUNT /CH                                     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

## Test Report

凱士士企業股份有限公司

KAI SUH SUH ENTERPRISE CO., LTD.

台北市延平北路一段38號

38, YEN PING N. RD., SEC. 1, TAIPEI, TAIWAN, R. O. C.



|       |  |
|-------|--|
| NYLON | / 墊片 WASHER /WR  |
| NYLON | / 扣式電線固定夾 WIRE CLIP /FC, WH  |
| NYLON | / 電源線結束帶 WIRE COLLECT TIE /WCT   |
| NYLON | / 插鞘式夾線套 WIRE SADDLE /JWS, JWB, DWS, OWS, PWS, BWS, TWS, RH, RWS, LWS, RCS |
| NYLON | / 配線標誌 SM TYPE CABLE MARKER /SM  |
| NYLON | / 固定頭螺帽 LOCK NUT /EGL, AGL, NPTL, AGJL, EGH, AGH, NPTH, AGJH               |
| NYLON | / SM型配線標誌 SM TYPE CABLE MARKER /SM   |
| NYLON | / 螺紋轉接頭 GLAND ADAPTOR /PG%M  |
| NYLON | / 階梯式電線固定座 LADDER TYPE CABLE HOLDER /LCH                                   |
| NYLON | / 管線束緊夾 SNAP CLAMP /SHW  |
| NYLON | / 電線固定套 CABLE CLAMP /RC  |
| NYLON | / 電纜固定頭內塞塞頭 NYLON CABLE GLAND SEALING PLUG /BPA                            |
| NYLON | / 重複使用造型繫線帶 CABLE TIE WITH DECORATION TAG /VF                              |
| NYLON | / 重複使用造型繫線帶(造型) CABLE TIE WITH DECORATION TAG(TAG TYPE) /DT                |
| NYLON | / 重複使用造型繫線帶(帶身) CABLE TIE WITH DECORATION TAG(TIE TYPE) /CHV               |
| NYLON | / 360度活用造型繫線帶 CABLE TIE WITH 360 DEGREE ROTATION TAG /VA                   |
| NYLON | / 360度活用造型繫線帶(造型) CABLE TIE WITH 360 DEGREE ROTATION TAG(TAG) /BA          |
| NYLON | / 360度活用造型繫線帶(帶身) CABLE TIE WITH 360 DEGREE ROTATION TAG(TIE) /BV          |
| NYLON | / 輪胎脫困得力帶 TIRE RESCUE TIE /STT   |
| NYLON | / 掛勾造型活用帶 HOOK TIE/A   |
| NYLON | / 掛勾造型活用帶(掛勾) HOOK TIE(HOOK) /AH   |
| NYLON | / 掛勾造型活用帶(帶身) HOOK TIE(TIE) /T   |
| NYLON | / 即刻網綁帶 HANDCUFF TIE /DV   |
| NYLON | / 行李好攜帶 LUGGAGE TIE /DE  |



## 測試報告

號碼(No.) : CE/2016/80462

日期(Date) : 2016/08/09

頁數(Page): 9 of 11

## Test Report

凱士士企業股份有限公司

KAI SUH SUH ENTERPRISE CO., LTD.

台北市延平北路一段38號


38, YEN PING N. RD., SEC. 1, TAIPEI, TAIWAN, R. O. C.



根據以下的流程圖之條件，樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr<sup>6+</sup> test method excluded)

- 測試人員：王志瑋 / Technician : JR Wang
- 測試負責人：張啟興 / Supervisor: Troy Chang



**Note\*\* (For IEC 62321)**

- (1) 針對非金屬材料加入鹼性消化液，加熱至 90~95°C 萃取。 / For non-metallic material, add alkaline digestion reagent and heat to 90~95°C.
- (2) 針對金屬材料加入純水，加熱至沸騰萃取。 / For metallic material, add pure water and heat to boiling.

## 測試報告

號碼(No.) : CE/2016/80462

日期(Date) : 2016/08/09

頁數(Page): 10 of 11

## Test Report

凱士士企業股份有限公司  
KAI SUH SUH ENTERPRISE CO., LTD.


台北市延平北路一段38號  
38, YEN PING N. RD., SEC. 1, TAIPEI, TAIWAN, R. O. C.



### 多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBB/PBDE

- 測試人員：涂雅苓 / Technician: Yaling Tu
- 測試負責人：張啟興 / Supervisor: Troy Chang

初次測試程序 / First testing process —————>  
 選擇性篩檢程序 / Optional screen process .....>  
 確認程序 / Confirmation process - - ->



## 測試報告

號碼(No.) : CE/2016/80462

日期(Date) : 2016/08/09

頁數(Page): 11 of 11

## Test Report

凱士士企業股份有限公司

KAI SUH SUH ENTERPRISE CO., LTD.


台北市延平北路一段38號

38, YEN PING N. RD., SEC. 1, TAIPEI, TAIWAN, R. O. C.



\* 照片中如有箭頭標示，則表示為實際檢測之樣品/部位。 \*  
(The tested sample / part is marked by an arrow if it's shown on the photo.)

### CE/2016/80462



\*\* 報告結尾 (End of Report) \*\*