

# **Test Report**

號碼(No.): ETR22502852 日期(Date): 25-May-2022 頁數(Page): 1 of 9

凱士士企業股份有限公司 (KAI SUH SUH ENTERPRISE CO., LTD.) 台北市延平北路一段38號 (NO. 38, YEN PING N. RD., SEC. 1, TAIPEI 10341, TAIWAN.)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as):

樣品名稱(Sample Name) : NYLON CABLE TIE (BLACK) / 尼龍紮線帶(黑色) 樣品型號(Style/Item No.) : 請參考第2頁 (PLEASE REFER TO PAGE 2)

樣品材質(Sample Material) : NYLON66 (BLACK) UL94V-2

\_\_\_\_\_\_

收件日(Sample Receiving Date)

: 18-May-2022

測試期間(Testing Period)

18-May-2022 to 25-May-2022

測試需求(Test Requested) :

(1) 依據客戶指定、參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測 試鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)

(2) 其他測試項目請見下一頁。 (Please refer to next pages for the other item(s).)

測試結果(Test Results) :

結 論(Conclusion)

請參閱下一頁 (Please refer to following pages.)
(1) 根據客戶所提供的樣品,其鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU)

2015/863之限值要求。 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU)

2015/863 amending Annex II to Directive 2011/65/EU.)

Troy Chang / Department Makager Signed for and on behalf of Alwah SGS TAIWAN LTD. Chemical Laboratory - Taipei



PIN CODE: F3D94CF5



# **Test Report**

號碼(No.): ETR22502852 日期(Date): 25-May-2022

頁數(Page): 2 of 9

凱士士企業股份有限公司 (KAI SUH SUH ENTERPRISE CO., LTD.) 台北市延平北路一段38號 (NO. 38, YEN PING N. RD., SEC. 1, TAIPEI 10341, TAIWAN.)

#### 樣品型號(Style/Item No.)

同材質產品型號(Item No. from the same material): AWS, PC, AP, ATC, MMR, TV, BCS, UC, KUC, TS, PTS, DCC, RC, CTF, SN, DN, CAP, CATV, KFC, KFS, MAT, BE, BT, CTT, CE, CDW, DR, DCV, RDCV, KTV, DL, DK, BGQ, PAQ, HL, ES, CV, FC, FCT, FCP, FCW, BG, SR, FD, HTN, HTP, HTS, HP, RHR, FCV, RRCV, TV, STV, LD3, LE, LK, LX, LQT, LQ, LDT, LY, LG3, LG, LH, LHN, PLU, LHK, PLK, PLM, PLX, PLW, PLD1, PLD2, PLD4, PLT, PLR, PCL, KWS, WS, MT, MS, MCV, KW, TCV, TCVS, TTB, MFC, KG-N, PCC, TRH, PG, AG, AGJ, EG, NPT, CV, CVT, CVS, ES, PH, CS, MCS, LCA, SP, SPA, SPB, SPC, SPD, DS, EB, BMS, HMS, TMS, MMS, MMR, KCS, SPS, PB, PST, HGS, GS, SWS, LCS, LCL, PCU, PF, PN, PL, PHV, PCV, PCVS, PFVS, PGV, PSV, PWVS, PWV, PRVS, PDV, PUV, PS, PHC, PFS, M, AG, EG, AGJ, NPT, HV, HVC, RCV, HRCV, RS, NPTA, RSP, RW, PMA, HC, CS, CSA, RLS, SCS, MSP, PSP, SCT, 4J, 6J, 8J, 10J, 11J, 12J, VC, SWC, SNB, SB, RSB, OSB, SN, SPR, SGN, ST, TH, THR, TR, TW, TRW, TT, TTU, CH, WR, WH, WCT, JWS, JWB, OWS, PWS, BWS, TWS, RH, RWS, LWS, RCS, SM, EGL, AGL, NPTL, AGJL, LCH, SHW, RC, BPA, VF, DT, CHV, VA, BA, BV, STT, A, DP, AH, T, DV, DE, HB, SWD, CAG, CEG, RSC, MTV, DMT, PMB, CWP, BM, MFH, DLC, SWV, BPB, KFY, RLC, LHV, HBC SERIES



# **Test Report**

號碼(No.): ETR22502852 日期(Date): 25-May-2022 頁數(Page): 3 of 9

凱士士企業股份有限公司 (KAI SUH SUH ENTERPRISE CO., LTD.) 台北市延平北路一段38號 (NO. 38, YEN PING N. RD., SEC. 1, TAIPEI 10341, TAIWAN.)

測試部位敘述 (Test Part Description)

No.1 : 黑色塑膠 (BLACK PLASTIC)

#### 測試結果 (Test Results)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
鎘 (Cd) (Cadmium (Cd)) (CAS No.: 7440-	參考IEC 62321-5: 2013,以感應耦合電漿	mg/kg	2	n.d.	100
43-9)	發射光譜儀分析。(With reference to IEC				
	62321-5: 2013, analysis was performed				
	by ICP-OES.)				
鉛 (Pb) (Lead (Pb)) (CAS No.: 7439-92-1)	參考IEC 62321-5: 2013,以感應耦合電漿	mg/kg	2	n.d.	1000
	發射光譜儀分析。(With reference to IEC				
	62321-5: 2013, analysis was performed				
T (1) \ (1) \ (1) \ (2) \ (3) \ (3) \ (3) \ (3) \ (3) \ (3) \ (4) \ (3) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4) \ (4)	by ICP-OES.)				1000
汞 (Hg) (Mercury (Hg)) (CAS No.: 7439-	参考IEC 62321-4: 2013+ AMD1: 2017・以 成本期合原格系計と逆差のた。 (AVith	mg/kg	2	n.d.	1000
97-6)	感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-4: 2013+ AMD1:				
	2017, analysis was performed by ICP-OES.)				
 六價鉻 Cr(VI) (Hexavalent Chromium	参考IEC 62321-7-2: 2017 · 以紫外光-可見	mg/kg	8	n.d.	1000
Cr(VI) (CAS No.: 18540-29-9)	光分光光度計分析。(With reference to	mg/kg	0	n.u.	1000
CI(VI)) (CAS No.: 10340-29-9)	IEC 62321-7-2: 2017, analysis was				
	performed by UV-VIS.)				
一溴聯苯 (Monobromobiphenyl)	参考IEC 62321-6: 2015·以氣相層析儀/質 - 譜儀分析。(With reference to IEC 62321- 6: 2015, analysis was performed by - GC/MS.)	mg/kg	5	n.d.	-
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.	-
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.	-
四溴聯苯 (Tetrabromobiphenyl)		mg/kg	5	n.d.	-
五溴聯苯 (Pentabromobiphenyl)		mg/kg	5	n.d.	=
六溴聯苯 (Hexabromobiphenyl)		mg/kg	5	n.d.	=
七溴聯苯 (Heptabromobiphenyl)		mg/kg	5	n.d.	-
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.	-
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.	-
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.	-
多溴聯苯總和 (Sum of PBBs)		mg/kg	-	n.d.	1000



# **Test Report**

號碼(No.): ETR22502852 日期(Date): 25-May-2022 頁數(Page): 4 of 9

凱士士企業股份有限公司 (KAI SUH SUH ENTERPRISE CO., LTD.) 台北市延平北路一段38號 (NO. 38, YEN PING N. RD., SEC. 1, TAIPEI 10341, TAIWAN.)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
一溴聯苯醚 (Monobromodiphenyl ether)		mg/kg	5	n.d.	-
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.	=
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.	=
四溴聯苯醚 (Tetrabromodiphenyl ether)	 	mg/kg	5	n.d.	=
五溴聯苯醚 (Pentabromodiphenyl ether)	參考IEC 62321-6: 2015 · 以氣相層析儀/質 譜儀分析。(With reference to IEC 62321-	mg/kg	5	n.d.	=
六溴聯苯醚 (Hexabromodiphenyl ether)	6: 2015, analysis was performed by	mg/kg	5	n.d.	-
七溴聯苯醚 (Heptabromodiphenyl ether)	GC/MS.)	mg/kg	5	n.d.	-
八溴聯苯醚 (Octabromodiphenyl ether)		mg/kg	5	n.d.	-
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.	-
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.	=
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	ı	n.d.	1000
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl	參考IEC 62321-8: 2017·以氣相層析儀/質 譜儀分析。(With reference to IEC 62321- 8: 2017, analysis was performed by -GC/MS.)	mg/kg	50	n.d.	1000
phthalate (BBP)) (CAS No.: 85-68-7)					
鄰苯二甲酸二丁酯 (DBP) (Dibutyl		mg/kg	50	n.d.	1000
phthalate (DBP)) (CAS No.: 84-74-2)					
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-		mg/kg	50	n.d.	1000
(2-ethylhexyl) phthalate (DEHP)) (CAS					
No.: 117-81-7)					
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl		mg/kg	50	n.d.	1000
phthalate (DIBP)) (CAS No.: 84-69-5)					
鄰苯二甲酸二正己酯 (DNHP) (Di-n-hexyl		mg/kg	50	n.d.	=
phthalate (DNHP)) (CAS No.: 84-75-3)					
鄰苯二甲酸二異癸酯 (DIDP) (Diisodecyl		mg/kg	50	n.d.	=
phthalate (DIDP)) (CAS No.: 26761-40-					
0, 68515-49-1)					
鄰苯二甲酸二異壬酯 (DINP) (Diisononyl		mg/kg	50	n.d.	-
phthalate (DINP)) (CAS No.: 28553-12-					
0, 68515-48-0)					
鄰苯二甲酸二正辛酯 (DNOP) (Di-n-octyl		mg/kg	50	n.d.	-
phthalate (DNOP)) (CAS No.: 117-84-0)					



## **Test Report**

號碼(No.): ETR22502852 日期(Date): 25-May-2022 頁數(Page): 5 of 9

凱士士企業股份有限公司 (KAI SUH SUH ENTERPRISE CO., LTD.) 台北市延平北路一段38號 (NO. 38, YEN PING N. RD., SEC. 1, TAIPEI 10341, TAIWAN.)

#### 備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. 除非另有說明,參照ILAC-G8:09/2019,採用簡單二元(w=0)允收規則進行符合性判定;根據此規則,符合性結果之判定係以測試結果與限值做比較。(Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)



## **Test Report**

號碼(No.): ETR22502852 日期(Date): 25-May-2022


頁數(Page): 6 of 9

凱士士企業股份有限公司 (KAI SUH SUH ENTERPRISE CO., LTD.) 台北市延平北路一段38號 (NO. 38, YEN PING N. RD., SEC. 1, TAIPEI 10341, TAIWAN.)

#### 重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. ( $Cr^{6+}$  test method excluded)






# **Test Report**

號碼(No.): ETR22502852 日期(Date): 25-May-2022 頁數(Page): 7 of 9

凱士士企業股份有限公司 (KAI SUH SUH ENTERPRISE CO., LTD.) 台北市延平北路一段38號 (NO. 38, YEN PING N. RD., SEC. 1, TAIPEI 10341, TAIWAN.)

#### 多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs






# **Test Report**

號碼(No.): ETR22502852 日期(Date): 25-May-2022

凱士士企業股份有限公司 (KAI SUH SUH ENTERPRISE CO., LTD.) 台北市延平北路一段38號 (NO. 38, YEN PING N. RD., SEC. 1, TAIPEI 10341, TAIWAN.)

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 8 of 9



# **Test Report**

號碼(No.): ETR22502852 日期(Date): 25-May-2022

頁數(Page): 9 of 9

凱士士企業股份有限公司 (KAI SUH SUH ENTERPRISE CO., LTD.) 台北市延平北路一段38號 (NO. 38, YEN PING N. RD., SEC. 1, TAIPEI 10341, TAIWAN.)

\* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. \* (The tested sample / part is marked by an arrow if it's shown on the photo.)

### ETR22502852



\*\* 報告結尾 (End of Report) \*\*