



Reference / Product name: ATA Standard Flap Discs and Flap Wheels Version/Revision Date: 27/09/22

Printing Date: 27/09/22

page 1 of 6

# Voluntary product information based on the format of a safety data sheet for coated abrasives

# Identification of the product and of the company/undertaking

#### 1.1 Product identifier

Coated Abrasive Flap Discs and Flap Wheels

## 1.2 Use of the product

For the use of grinding Ferrous and Non-Ferrous metals and other materials

## 1.3 Details of the supplier of the voluntary product information:

### **International Address**

Company: ATA Tools Ltd

Address: IDA Business & Technology Park, Killygarry,

Cavan, Co. Cavan, H12 DK46, Ireland

Telephone: +353 (0) 49 432 6178 Fax: +353 (0) 49 432 6298

Web: www.atagroup.com

#### **UK Address**

Company: ATA Garryson Ltd

Address: Spring Road, Ibstock, Leicestershire

LE67 6LR, United Kingdom

Telephone: +44 (0) 1530 261145 Fax: +44 (0) 1530 440021

### 1.4 Emergency telephone number:

Contact local emergency services

#### 2. Hazards identification

## 2.1. Classification

Not applicable

Abrasives are articles and not dangerous substances or mixtures according to Regulation (EC) N° 1272/2008.

See also section 8 and 16.

#### 2.2. Label elements

Abrasives are articles and not dangerous substances or mixtures and therefore no labelling is required according to Regulation (EC) N° 1272/2008.

#### 2.3. Other hazards

Not known.





Reference / Product name: ATA Standard Flap Discs and Flap Wheels Version/Revision Date: 27/09/22

Printing Date: 27/09/22

page 2 of 6

## 3. Composition/information on ingredients

The product contains the following ingredients which are classified according to Regulation (EC) Nr. 1272/2008 or for which a community occupational exposure limit value exists:

Substance	EC-N°	CAS-N°	REACH Registration N°	Conc. (%)	Classification acc. to Regulation (EC) N° 1272/2008 (CLP)	
					Hazard classes/ hazard categories	Hazard statements
Cryolite	237-410-6	13775-53-6		1-20	Acute Tox. 4 STOT wdh. 1 Aqu. Chron. 2	H332 H372 H411
Potassium Fluoroborate	237-928-2	14075-53-7		1-15	Eye Irrit. 2A	H319

(For full text of H-phrases see section 16)

#### 4. First aid measures

See also section 8 and 16

# 4.1. Description of first aid measures

Inhalation: Not possible, due to the form of the product. If dust is inhaled, move casualty to fresh air. If

breathing is difficult, have qualified personnel administer oxygen. Seek medical attention if

irritation or other symptoms persist.

Eye contact: Remove contact lenses if present and easy to do so. Flush eye thoroughly with large amounts

of water, holding eyelids open. If irritation persists, seek medical attention.

Skin contact: No harmful effects known.

Ingestion: Not likely, due to the form of the product; if necessary contact physician.

## 4.2. Most important symptoms and effects, both acute and delayed

Not known. Dust generated through the grinding process may causes eye and respiratory irritation. Prolonged inhalation of high concentrations of dust may cause adverse effects to the lungs.

### 4.3. Indication of any immediate medical attention and special treatment needed

Not relevant. Treat symptomatically.





Reference / Product name: ATA Standard Flap Discs and Flap Wheels Version/Revision Date: 27/09/22 Printing Date: 27/09/22

page 3 of 6

## 5. Fire fighting measures

## 5.1. Extinguishing media

Extinguishing media: water, foam, sand, powder or CO<sub>2</sub> as appropriate for surrounding materials

## 5.2. Special hazards arising from the product

Toxic fumes may occur. Use respiratory protective equipment.

## 5.3. Advice for fire fighters

Extinguishing materials should be selected according to the surrounding area.

#### 6. Accidental release measures

Not applicable.

## 7. Handling and storage

Follow instructions of grinding machine manufacturers and the relevant national regulations. In addition, observe the safety recommendations of the manufacturer.

### 8. Exposure controls/personal protection

#### 8.1. Control parameters

Before grinding it is recommended to perform a risk assessment and to use personal protection equipment accordingly.

Occupational exposure limit values and/or biological limit values

Keep exposure to the following components under surveillance. (Observe also the regional official regulations)

Limit value	substance	EC-N°	CAS-N°	Occupational limit value			е	Peak	source, remark
type				Long term		Short term		limit	
(country of				mg/m³	ml/m³	mg/m³	ml/m³		
origin)					(ppm)		(ppm)		
IOELV(EU)	Cryolite	237-410-6	13775-53-6	2.5					
IOELV (EU)	Potassium Fluoroborate	237-928-2	14075-53-7	2.5					

Note: Hazardous dust of the workpiece material may be generated during grinding and/or sanding operations. National regulations for dust exposure limit values have to be taken into consideration.





Reference / Product name: ATA Standard Flap Discs and Flap Wheels Version/Revision Date: 27/09/22

Printing Date: 27/09/22

page 4 of 6

## 8.2. Exposure controls

- 8.2.1. Individual protection measures
- 8.2.1.1. Respiratory protection: Use respiratory protective equipment (type depends on specific application and material being ground)
- 8.2.1.2. Hand protection: Wear protective gloves (type depends on specific application and material being ground)
- 8.2.1.3. Eye protection: Wear protective goggles or face shield (type depends on specific application and material being ground)
- 8.2.1.4. Hearing protection: Use hearing protection (type depends on specific application and material being ground)
- 8.2.1.5. Body protection: Use protective clothing(type depends on specific application and material being ground)

# 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

a) Physical state: solidb) Colour: variablec) Solubility in water: Not soluble

#### 9.2. Other information

None.

## 10. Stability and reactivity

#### 10.1. Reactivity

Coated Abrasive Product is stable when handled and stored correctly.

#### 10.2. Chemical stability

No decomposition in normal use.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known.

# 10.4. Conditions to avoid

Coated Abrasives are stable when handled and stored correctly.

### 10.5. Incompatible materials

No dangerous reactions known.





Reference / Product name: ATA Standard Flap Discs and Flap Wheels Version/Revision Date: 27/09/22 Printing date: 27/09/22

page 5 of 6

**10.6.** Hazardous decomposition products At temperatures exceeding 250° C hazardous or toxic decomposition products may be generated.

# 11. Toxicological information

# 11.1. Information on toxicological effects

No toxicological effects if inhaled or swallowed or with eye or skin contact are known. See also section 8.

### 12. Ecological information

## 12.1. Toxicity

No effects known.

# 12.2. Persistence and degradability

No biodegradable potentials known.

# 12.3. Bioaccumulative potential

No potentials known.

#### 12.4. Mobility in soil

No potentials known.

# 12.5. Results of PBT and vPvB assessment

Not relevant.

#### 12.6. Other adverse effects

No effects known.

#### 13. Disposal considerations

#### 13.1. Waste treatment methods

## 13.1. Product

Follow national and regional regulations.

- X Due to the ingredients and properties disposal as non hazardous waste (2000/532/EC) is possible if no hazardous materials are added to the abrasives. (EWC Nr. 120121),
- O Due to the ingredients and properties disposal as hazardous waste (2000/532/EC) (EWC Nr. 120120)

# 13.2. Packing

Follow national and regional regulations.





Reference / Product name: ATA Standard Flap Discs and Flap Wheels Version/Revision Date: 29/09/22

Printing Date: 29/09/22

page 6 of 6

#### 14. Transport information

The product is not covered by international regulation on the transport of dangerous goods.

### 15. Regulatory information

# **15.1. Safety, health and environmental regulations/legislation specific for the product** No specific labelling requirements under respective EC directives.

# 15.2. Chemical safety assessment

Not relevant.

#### 16. Other information

## Changes to the previous versions

See sections 1 to 16.

### Literature and data sources

REACH Regulation (EC) Nr. 1907/2006
Regulation (EC) N° 1272/2008
Directive 98/24/EC
Directive 2000/39/EC
Directive 75/324/EEC
Decision 2000/532/EC
Transport regulations according to ADR, RID und IATA.

Hazard statements referred to in section 2 and 3

# According to Regulation (EC) N° 1272/2008:

H332- Harmful if inhaled

H372- Causes damage to organs through prolonged or repeat exposure

H411- Toxic to aquatic life with long lasting effects

The above information is based on our current standard of knowledge and does not constitute any warranty of conditions of the product. The information does not form part of any contractual agreement. It remains the user's responsibility to adhere existing laws and regulations.

Issued by: ATA Group