# SAFETY DATA SHEET



Easy-Mix RK-7300 Structural Acrylic Adhesive Hardener

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

Product name UFI Product code Color : Easy-Mix RK-7300 Structural Acrylic Adhesive Hardener

: ØF60-40HT-S00A-F1PJ

: 105692

: Colorless.

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identi	fied uses
Hardener for resins.	

### 1.3 Details of the supplier of the safety data sheet

WEICON GmbH & Co. KG Königsberger Str. 255 48157 Münster Germany Phone: +49 251 93220 Fax: +49(0)251 / 9322 - 244 Internet: www.weicon.de e-mail address of person : msds@weicon.de responsible for this SDS

### 1.4 Emergency telephone number

Telephone number: EMERGENCY CONTACT – UK, UAE, South Africa (24h): Tel: ++44 1865 407333<br/>(English)<br/>TRANSPORT EMERGENCY CONTACT - UK, UAE, South Africa (24h): Tel: ++44<br/>1865 407333 (English)

# **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Product definition : Mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT SE 3, H335

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

### 2.2 Label elements

Hazard pictograms



Signal word

: Warning

:02.06.2020

# SECTION 2: Hazards identification

SECTION 2. Hazarus	ю	ientification
Hazard statements	:	H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.
Precautionary statements		
Prevention	:	<ul> <li>Wear protective gloves. Wear eye or face protection.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P261 - Avoid breathing vapor.</li> <li>P264 - Wash thoroughly after handling.</li> </ul>
Response		<ul> <li>P304 + P312 - IF INHALED: Call a POISON CENTER or doctor if you feel unwell.</li> <li>P362 + P364 - Take off contaminated clothing and wash it before reuse.</li> <li>P302 + P352 - IF ON SKIN: Wash with plenty of water.</li> <li>P333 + P313 - If skin irritation or rash occurs: Get medical advice or attention.</li> <li>P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.</li> <li>Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P337 + P313 - If eye irritation persists: Get medical advice or attention.</li> </ul>
Storage	:	₱405 - Store locked up. ₱403 + ₱233 - Store in a well-ventilated place. Keep container tightly closed.
Disposal	:	₱501 - Dispose of waste according to applicable legislation.
Hazardous ingredients	:	benzyl methacrylate 2-ethylhexyl methacrylate methyl methacrylate
Supplemental label elements	:	Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.
2.3 Other hazards		
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	:	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	:	None known.

# **SECTION 3: Composition/information on ingredients**

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Туре
enzyl methacrylate	REACH #: 01-2119960155-39 EC: 219-674-4 CAS: 2495-37-6	≥25 - ≤50	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT SE 3, H335	[1]
2-ethylhexyl methacrylate	REACH #: 01-2119490166-35 EC: 211-708-6 CAS: 688-84-6	≤10	Skin Sens. 1, H317 Aquatic Chronic 3, H412	[1]
Triethylborane- 1,3-diaminopropane Complex	REACH #: pre-registered EC: 604-654-3 CAS: 148861-07-8	<3	Acute Tox. 4, H312 Skin Corr. 1A, H314 Eye Dam. 1, H318	[1]
methyl methacrylate	REACH #:	<1	Flam. Liq. 2, H225	[1] [2]

01_2110	9452498-28	Skin Irrit. 2, H315
EC: 201		Skin Sens. 1, H317
CAS: 80		STOT SE 3, H335
	607-035-00-6	
		See Section 16 for
		the full text of the H
		statements declared

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Type</u>

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

[6] Additional disclosure due to company policy

Occupational exposure limits, if available, are listed in Section 8.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

# 4.2 Most important symptoms and effects, both acute and delayed

### Over-exposure signs/symptoms

# **SECTION 4: First aid measures**

Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.
4.3 Indication of any immedia	ate medical attention and special treatment needed
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.
SECTION 5: Firefight	ing measures
5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising f	rom the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide
5.3 Advice for firefighters	
	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, pro	ote	ctive equipment and emergency p	rocedures			
For non-emergency personnel	:	No action shall be taken involving at Evacuate surrounding areas. Keep entering. Do not touch or walk throu mist. Provide adequate ventilation. inadequate. Put on appropriate per	unnecessary and unpro ugh spilled material. Ave Wear appropriate respi	itected perse oid breathing rator when	onnel fro g vapor	or
For emergency responders	:	If specialized clothing is required to information in Section 8 on suitable information in "For non-emergency	and unsuitable material			
6.2 Environmental precautions	:	Avoid dispersal of spilled material and drains and sewers. Inform the relevent environmental pollution (sewers, wa	ant authorities if the pro	,		
Date of issue/Date of revision		: 10.08.2021 Date of previous issue	:02.06.2020	Version	: 2.02	4/14

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830 - Germany

Easy-Mix RK-7300 Structural Acrylic Adhesive Hardener

### **SECTION 6: Accidental release measures**

6.3 Methods and materials for containment and cleaning up	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

# SECTION 7: Handling and storage

The information in this section contains generic advice and guidance.

#### 7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

## **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

### 8.1 Control parameters

#### **Occupational exposure limits**

Product/ingredient name			Exposure limit va	alues	
methyl methacrylate		TWA: 210 mg/m PEAK: 420 mg/n TWA: 50 ppm 8 PEAK: 100 ppm <b>DFG MAC-values</b> TWA: 50 ppm 8 PEAK: 100 ppm, TWA: 210 mg/m	<sup>a</sup> 15 minutes. nours. 15 minutes. I <b>ist (Germany, 8/2020</b> nours. 4 times per shift, 15 m	ninutes.	
Date of issue/Date of revision : 10.	.08.2021	Date of previous issue	:02.06.2020	Version : 2.0	02 5/14

# **SECTION 8: Exposure controls/personal protection**

Recommended monitoring : procedures	If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
--	--

#### **DNELs/DMELs**

Product/ingredient name	Туре	Exposure	Value	Population	Effects
enzyl methacrylate	DNEL	Long term Oral	4.17 mg/ kg bw/day	General population	Systemic
	DNEL	Long term Dermal	4.17 mg/ kg bw/day	General population	Systemic
	DNEL	Long term Dermal	6.94 mg/ kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	7.2 mg/m <sup>3</sup>	General population	Systemic
	DNEL	Long term Inhalation	24.2 mg/m <sup>3</sup>	Workers	Systemic
2-ethylhexyl methacrylate	DNEL	Long term Dermal	5 mg/kg bw/day	Workers	Systemic
	DNEL	Short term Dermal	1 %	Workers	Local
	DNEL	Long term Dermal	1 %	Workers	Local
methyl methacrylate	DNEL	Long term Dermal	8.2 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	13.67 mg/ kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	74.3 mg/m³	General population	Systemic
	DNEL	Long term Inhalation	104 mg/m³	General population	Local
	DNEL	Long term Inhalation	208 mg/m³	Workers	Local
	DNEL	Long term Inhalation	208 mg/m³	Workers	Systemic
	DNEL	Short term Dermal	1.5 mg/cm <sup>2</sup>	General population	Local
	DNEL	Long term Dermal	1.5 mg/cm <sup>2</sup>	General population	Local
	DNEL	Short term Dermal	1.5 mg/cm <sup>2</sup>	Workers	Local
	DNEL	Long term Dermal	1.5 mg/cm <sup>2</sup>	Workers	Local
e of issue/Date of revision : 10.	08.2021	Date of previous issue	: 02.06.2	020 V	/ersion : 2.02 6/

# **SECTION 8: Exposure controls/personal protection**

### PNECs

No PNECs available.

8.2 Exposure controls	
Appropriate engineering controls	: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Individual protection meas	ures
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. Recommended : 1 - 4 hours (breakthrough time): nitrile rubber ; 4 - 8 hours (breakthrough time): Viton®/butyl rubber
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Recommended : organic vapor (Type AX) and particulate filter
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties **Appearance Physical state** : Liquid. Color : Colorless. Odor : Sharp. Odor threshold : Not available. Melting point/freezing point : Not available. Initial boiling point and : Not available. boiling range Flammability (solid, gas) : Not available. Date of issue/Date of revision : 10.08.2021 :02.06.2020 Date of previous issue

<b>SECTION 9: Physical</b>	and	chemical pro	perties	S				
Upper/lower flammability or explosive limits		Not available.	<u>por 1100</u>					
Flash point	:	Closed cup: >100°C	C (>212°F	)				
Auto-ignition temperature	:	Not applicable.	,	,				
Decomposition temperature	:	Not available.						
рН	: Not applicable.							
Viscosity	:	Kinematic (room ter Kinematic (40°C): >			0 mm²/s			
Solubility(ies)	:	Soluble in the follow Insoluble in the follow				d hot wa	ter.	
Solubility in water	:	Not available.						
Miscible with water	:	No.						
Partition coefficient: n-octan water	ol/ :	Not applicable.						
Vapor pressure	:		Vapor	Pressu	ure at 20°C	Vap	or press	ure at 50°C
		Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
		methyl methacrylate	27.75	3.7				
		2-ethylhexyl methacrylate	0.05	0.0067	OECD 104			
		benzyl methacrylate	0.02	0.0027				
Evaporation rate	:	Not available.			•	-		·
Relative density	:	Not available.						
Density	:	1 g/cm³ [20°C (68°F	-)]					
Vapor density	:	Not available.						
Explosive properties	:	Not available.						
Oxidizing properties	:	Not available.						
Particle characteristics Median particle size	:	Not applicable.						
9.2 Other information								
SADT	:	Not available.						
SAPT	:	Not available.						
SECTION 10: Stability	y and	d reactivity						
0.1 Reactivity	: No	specific test data rel	lated to re	eactivity	available for	this proo	duct or its	ingredients
0.2 Chemical stability	: The product is stable.							
0.3 Possibility of nazardous reactions	: Un	der normal condition	s of stora	ge and	use, hazardo	us react	ions will	not occur.
10.4 Conditions to avoid	: No	specific data.						

**10.5 Incompatible materials** : No specific data.

**10.6 Hazardous** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Date of issue/Date of revision

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
methyl methacrylate	LD50 Dermal	Rabbit	>5 g/kg	-
	LD50 Oral	Rat	7872 mg/kg	-

## **Conclusion/Summary** : Not available.

### Acute toxicity estimates

Rou	ite		ATE value	
Dermal		62857.14 mg/kg		
Irritation/Corrosion				
<b>Conclusion/Summary</b>	: Not available.			
Sensitization				
<b>Conclusion/Summary</b>	: Not available.			
Mutagenicity				
<b>Conclusion/Summary</b>	: Not available.			
<b>Carcinogenicity</b>				
<b>Conclusion/Summary</b>	: Not available.			
Reproductive toxicity				
<b>Conclusion/Summary</b>	: Not available.			
Teratogenicity				
Conclusion/Summary	: Not available.			
Specific target organ toxi	<u>city (single exposure)</u>			
Broduct/ir	aredient name	Category	Route of	Target organs

Product/ingredient name	Category	Route of exposure	Target organs
benzyl methacrylate	Category 3	-	Respiratory tract irritation
methyl methacrylate	Category 3	-	Respiratory tract irritation

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not available.

### Information on the likely : Not available.

routes of exposure Potential acute health effects

Potential acute health effe	ects
Eye contact	: Causes serious eye irritation.
Inhalation	: May cause respiratory irritation.
Skin contact	: Causes skin irritation. May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact       : Adverse symptoms may include the pain or irritation watering redness	ne following:
--	---------------

# **SECTION 11: Toxicological information**

Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

<u>Short term exposure</u>		
Potential immediate effects	Not available.	
Potential delayed effects	Not available.	
<u>Long term exposure</u>		
Potential immediate effects	Not available.	
Potential delayed effects	Not available.	
Potential chronic health eff	<u>S</u>	
Not available.		
Conclusion/Summary	Net available	
Conclusion/Summary	Not available.	
General	Once sensitized, a severe allergic reaction may occur when subsequently expose to very low levels.	ed
•	Once sensitized, a severe allergic reaction may occur when subsequently expose	ed
General	Once sensitized, a severe allergic reaction may occur when subsequently expose to very low levels.	ed
General Carcinogenicity	Once sensitized, a severe allergic reaction may occur when subsequently expose to very low levels. No known significant effects or critical hazards.	ed
General Carcinogenicity Mutagenicity	Once sensitized, a severe allergic reaction may occur when subsequently expose to very low levels. No known significant effects or critical hazards. No known significant effects or critical hazards.	ed
General Carcinogenicity Mutagenicity Teratogenicity	Once sensitized, a severe allergic reaction may occur when subsequently expose to very low levels. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.	ed

#### Other information

: Not available.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
penzyl methacrylate	Acute LC50 4670 μg/l Fresh water	Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling)	96 hours
methyl methacrylate	Acute LC50 130000 µg/l Fresh water	Fish - Pimephales promelas - Adult	96 hours
Conclusion/Summary	: Not available.	+	

### 12.2 Persistence and degradability

**Conclusion/Summary** : Not available.

### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
enzyl methacrylate	2.53	-	low
2-ethylhexyl methacrylate	4.95	37	low
methyl methacrylate	1.38	-	low

Date of issue/Date of revision

# **SECTION 12: Ecological information**

### 12.4 Mobility in soil

Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### **12.6 Other adverse effects** : No known significant effects or critical hazards.

# **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 13.1 Waste treatment methods

### Product

Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

#### Hazardous waste : The classification of the product may meet the criteria for a hazardous waste.

### European waste catalogue (EWC)

Waste code	Waste designation	
08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances	
Packaging		
Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.	
Type of packaging	European waste catalogue (EWC)	
15 01 10*	packaging containing residues of or contaminated by hazardous substances	
Special precautions	: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.	

# **SECTION 14: Transport information**

	ADR/RID	IMD	G	IATA	
14.1 UN number	Not available.	Not available.		Not available.	
14.2 UN proper shipping name	Not available.	Not available.		Not available.	
14.3 Transport hazard class(es)	Not available.	Not available.		Not available.	
Date of issue/Date of revi	ision : 10.08.2021 Dat	e of previous issue	:02.06.2020	Version :	2.02 11/14

SECTION 14: Transport information			
14.4 Packing group	-	-	-
14.5 Environmental hazards	No. Not available.	No. Not available.	No.

### Additional information

14.6 Special precautions for	:	Transport within user's premises: always transport in closed containers that are
user		upright and secure. Ensure that persons transporting the product know what to do in
		the event of an accident or spillage.

14.7 Transport in bulk	:	Not available.
according to IMO		
instruments		

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU Regulation (EC) No. 1907/2006 (REACH)

### Annex XIV - List of substances subject to authorization

Annex XIV
None of the components are listed.
Substances of very high concern
None of the components are listed.
Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles
Other EU regulations
Industrial emissions : Not listed (integrated pollution prevention and control) - Air
Industrial emissions : Not listed (integrated pollution prevention and control) - Water
Ozone depleting substances (1005/2009/EU) Not listed.
Prior Informed Consent (PIC) (649/2012/EU) Not listed.
Persistent Organic Pollutants Not listed.
<u>Seveso Directive</u> This product is not controlled under the Seveso Directive.

### National regulations

# **SECTION 15: Regulatory information**

beenfort to: Rogalat				
Product/ingredient name	List name	Name on list	Classification	Notes
methyl methacrylate	DFG MAC-values list	Methyl methacrylate; Methacrylic acid methyl ester	Listed	-

### Storage class (TRGS 510) : 10

### Hazardous incident ordinance

This product is not controlled under the Germany Hazardous Incident Ordinance.

Hazard class for water : 1

**Technical instruction on** : **F**A-Luft Number 5.2.5: 35.1-71% air quality control

# International regulations

# Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

### Montreal Protocol

Not listed.

### Stockholm Convention on Persistent Organic Pollutants

Not listed.

### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

### Inventory list

Australia	: Not determined.
Canada	: Not determined.
China	: Not determined.
Europe	: All components are listed or exempted.
Japan	: Not determined.
New Zealand	: Not determined.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: Not determined.
Turkey	: Not determined.
United States	: Not determined.
Viet Nam	: Not determined.

# **15.2 Chemical Safety** : This product contains substances for which Chemical Safety Assessments are still required.

# **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	: ATE = Acute Toxicity Estimate CLP = Classification, Labelling and I 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Haza N/A = Not available PBT = Persistent, Bioaccumulative a PNEC = Predicted No Effect Concer	ard statement and Toxic	0.
Date of issue/Date of revision	: 10.08.2021 Date of previous issue	:02.06.2020 Version :2.02	13/14

# Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830 - Germany

Easy-Mix RK-7300 Structural Acrylic Adhesive Hardener

## **SECTION 16: Other information**

RRN = REACH Registration Number

SGG = Segregation Group

vPvB = Very Persistent and Very Bioaccumulative

#### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Skin Irrit. 2, H315	Calculation method
Eye Irrit. 2, H319	Calculation method
Skin Sens. 1, H317	Calculation method
STOT SE 3, H335	Calculation method

#### Full text of abbreviated H statements

H225	Highly flammable liquid and vapor.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

#### Full text of classifications [CLP/GHS]

Acute Tox. 4		ACUTE TOXICITY - Category 4
Aquatic Chronic 3		AQUATIC HAZARD (LONG-TERM) - Category 3
Eye Dam. 1		SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
Eye Irrit. 2		SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2
Flam. Liq. 2		FLAMMABLE LIQUIDS - Category 2
Skin Corr. 1A		SKIN CORROSION/IRRITATION - Category 1A
Skin Irrit. 2		SKIN CORROSION/IRRITATION - Category 2
Skin Sens. 1		SKIN SENSITIZATION - Category 1
STOT SE 3		SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) -
		Category 3
Date of printing	: 10.08.2021	+

Date of issue/ Date of revision	: 10.08.2021
Date of previous issue	: 02.06.2020
Version	: 2.02

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.