

頁數(Page): 1 of 9 號碼(No.): CE/2017/60798A 日期(Date): 2017/06/26

Test Report

凯士士企業股份有限公司 KAI SUH SUH ENTERPRISE CO., LTD. 台北市延平北路一段38號 38, YEN PING N. RD., SEC. 1, TAIPEI, TAIWAN, R. O. C.

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

樣品名稱(Sample Description) NYLON CABLE TIE (BLACK)/尼龍紮線帶(黑色) 請參考第 4~8 頁 (PLEASE REFER TO PAGE 4 ~ 8) 樣品型號(Style/Item No.)

NYLON66, 94V-2 (BLACK) 樣品材質(Sample Material)

收件日期(Sample Receiving Date) 2017/06/03

測試期間(Testing Period) 2017/06/03 TO 2017/06/09

測試需求(Test Requested):

(1) 依據客戶指定,參考ROHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試DBP, BBP, DEHP, DIBP. (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)

(2) 其他測試項目請見下一頁 . (Please refer to next pages for the other item(s).)

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages).



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



頁數(Page): 2 of 9 號碼(No.): CE/2017/60798A 日期(Date): 2017/06/26

Test Report

凯士士企業股份有限公司 KAI SUH SUH ENTERPRISE CO., LTD. 台北市延平北路一段38號 38, YEN PING N. RD., SEC. 1, TAIPEI, TAIWAN, R. O. C.

測試結果(Test Results)

測試部位(PART NAME)No.1 : 黑色塑膠 (BLACK PLASTIC)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1
鄰苯二甲酸丁苯甲酯 / BBP (Butyl Benzyl phthalate) (CAS No.: 85-68-7)	mg/kg	参考IEC 62321-8 (2017),以氣相層析 儀/質譜儀檢測. / With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n. d.
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	mg/kg		50	n. d.
鄰苯二甲酸二 (2-乙基己基)酯 / DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	mg/kg		50	n. d.
鄰苯二甲酸二異丁酯 / DIBP (Di-isobutyl phthalate) (CAS No.: 84-69-5)	mg/kg		50	n. d.
鄰苯二甲酸二異癸酯 / DIDP (Di- isodecyl phthalate) (CAS No.: 26761- 40-0; 68515-49-1)	mg/kg		50	n. d.
鄰苯二甲酸二異壬酯 / DINP (Di-isononyl phthalate) (CAS No.: 28553-12-0; 68515-48-0)	mg/kg		50	n. d.
鄰苯二甲酸二正辛酯 / DNOP (Di-n-octyl phthalate) (CAS No.: 117-84-0)	mg/kg		50	n. d.
鄰苯二甲酸二正己酯 / DNHP (Di-n-hexyl phthalate) (CAS No.: 84-75-3)	mg/kg		50	n. d.

備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-Document aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

凯士士企業股份有限公司 KAI SUH SUH ENTERPRISE CO., LTD. 台北市延平北路一段38號 38, YEN PING N. RD., SEC. 1, TAIPEI, TAIWAN, R. O. C.

號碼(No.): CE/2017/60798A

頁數(Page): 3 of 9


可塑劑分析流程圖 / Analytical flow chart - Phthalate

日期(Date): 2017/06/26

測試人員:徐毓明 / Technician: Andy Shu

測試負責人:張啟興 / Supervisor: Troy Chang

【測試方法/Test method: IEC 62321-8】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



頁數(Page): 4 of 9 日期(Date): 2017/06/26 號碼(No.): CE/2017/60798A

Test Report

凱士士企業股份有限公司 KAI SUH SUH ENTERPRISE CO., LTD. 台北市延平北路一段38號 38, YEN PING N. RD., SEC. 1, TAIPEI, TAIWAN, R. O. C.

樣品型號(Style/Item No.)

```
/ 產品名稱/型號 (Used For Products (Style /Item No.)):
同材質
          粘貼式扣線套 ADHESIVE WIRE SADDLE /AWS
NYLON
NYLON
          可調式配線固定鈕 ADJUSTABLE CABLE CLAMP /PC, AP, ATC
NYLON
          粘式PC隔離柱 ADHESIVE PCB SUPPORT /MMR
NYLON
          珠形紮線帶 BEAD TIE /TV
NYLON
          壁虎型隔離柱 BLIND HOLD PCB SUPPORT /BCS
          配線固定鈕 CABLE CLAMP /UC, KUC, TS, PTS, DCC, RC
NYLON
NYLON
          電纜槽固定紮線帶 CABLE TRAY FIXING TIE /CTF
NYLON
          鉚釘 CANOE RIVET /SN
NYLON
          鉚釘 DRIVE RIVET /DN
NYLON
          電容器座 CAPACITOR HOUSING /CAP
NYLON
       / CATV固定座 CATV SIDING CLIP /CATV
NYLON
          基板固定紮線帶 CHASSIS TIE /KFC, KFS
NYLON
          基板固定可調式紮線帶 MOUNTING ADJUSTABLE TIE /MAT
NYLON
        / PC板耳把 CIRCUIT BOARD EJECTOR /BE
       / PC板軌道 CIRCUIT BOARD TRACK /BT
NYLON
          夾入式扭線環 CLIP TWIST TIE /CTT
NYLON
NYLON
          閉端端子 CLOSE - END WIRE CONNECTOR /CE
NYLON
          圓錐體墊片 CONOID WASHER /CDW
NYLON
          門扣 DOOR LOCK /DR
NYLON
          雙頭式紮線帶 DOUBLE HEAD CABLE TIE /DCV, RDCV
NYLON
          雙扣式珠孔紮線帶 DOUBLE HEAD KNOT TIE /KTV
          雙鎖式紮線帶 DOUBLE LOCKING CABLE TIE /DL, DK
NYLON
NYLON
          雙導線夾線套 DOUBLE ROUTING CLIP /DR
NYLON
          快速型浪管固定頭 EASY TYPE FLEXIBLE CONDUIT ADAPTOR /BGQ, PAQ
NYLON
          方型護線套 EDGING WIRE SADDLE /HL, ES
NYLON
       / 超寬型紮線帶 EXTRA HEAVY DUTY TIE /CV
NYLON
       / 排線固定夾 FLAT CABLE CLAMP /FC, FCT, FCP, FCW
NYLON
          浪管固定頭 FLEXIBLE CONDUIT ADAPTOR /BG
NYLON
          耐扭直角型電源線扣 FLEXIBLE RIGHT ANGLE STRAIN RELIEF BUSHING /SR
```

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



頁數(Page): 5 of 9 日期(Date): 2017/06/26 號碼(No.): CE/2017/60798A

Test Report

凱士士企業股份有限公司 KAI SUH SUH ENTERPRISE CO., LTD. 台北市延平北路一段38號 38, YEN PING N. RD., SEC. 1, TAIPEI, TAIWAN, R. O. C.

- NYLON 耐扭型電源線扣 FLEXIBLE STRAIN RELIEF BUSHING /SR
- NYLON 撥開式配線槽 FLEXIBLE WIRING DUCT /FD
- NYLON 腳墊 HEADBOARD WASHER /HBW
- NYLON / 六角隔離柱 HEXAGONAL SPACER /HTN
- NYLON 六角內螺紋隔離柱 HEXAGONAL TAPPED SPACER /HTP
- NYLON 六角隔離柱 HEXAGONAL THREADED SPACER /HTS
- NYLON 扣式塞頭 HOLE PLUG /HP, HPA
- NYLON / 插頭護蓋 HOUSING COVER /RHR
- NYLON 反穿式尼龍紮線帶 IN - LINE CABLE TIE /FCV, RRCV
- NYLON 固定珠孔紮線帶 KNOT TIE /BALL TYPE /TV, STV
- NYLON LED座 LED HOLDER /LD3, LE, LK, LX, LQT, LQ, LDT, LY, LG3, LG, LH, LHN, PLU, LHK, PLK,
 - PLM, PLX, PLW, PLD1, PLD2, PLD4, PLT, PLR, PCL
- 馬鞍型夾線套/鉤式 LOCKING WIRE SADDLE /KWS, WS NYLON
- NYLON 標誌銘牌 MARKER PLATE /MT
- NYLON 標誌靶 MARKER STRIP /MS
- NYLON 標示紮線帶 MARKER TIE /MCV
- NYLON 接線夾 MID - WAY WIRE CONNECTOR /KW
- NYLON 固定鎖式紮線帶 MOUNTING CABLE TIE /TCV, TCVS
- NYLON 粘貼式扭線環 MOUNTING TWIST TIE /TTB
- NYLON 電線固定夾 MOUNTING WIRE CLIP /MFC
- 自由絕緣保護套 MOVABLE BUSHING /KG-N NYLON
- NYLON N型夾線套 N TYPE WIRE SADDLE /PCC
- NYLON 熱敏電阻座 NTC THERMISTOR HOUSING /TRH
- NYLON 迫緊式電纜固定頭 NYLON CABLE GLAND /PG, AG, AGJ, EG, NPT
- 耐扭迫緊式電纜固定頭 NYLON CABLE GLAND /WITH STRAIN RELIEF /PG, AG, EG, AGJ NYLON
- NYLON 尼龍螺帽 NYLON LOCK NUTS/ EGH, AGH, NPTH, AGJH
- NYLON 尼龍紮線帶 NYLON CABLE TIE /CV, NV, CVT, LT
- NYLON 尼龍紮線帶/附阻擋點 NYLON CABLE TIE WITH STOPPER /CVS
- NYLON 推式隔離柱 PCB EDGE SPACER /ES

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



頁數(Page): 6 of 9 日期(Date): 2017/06/26 號碼(No.): CE/2017/60798A

Test Report

凱士士企業股份有限公司 KAI SUH SUH ENTERPRISE CO., LTD. 台北市延平北路一段38號 38, YEN PING N. RD., SEC. 1, TAIPEI, TAIWAN, R. O. C.

NYLON / PC板固定扣 PCB HINGE /PH

NYLON PC板隔離柱 PCB SUPPORT /CS, MCS, LCA, SP, SPA, SPB, SPC, SPD, DS, EB, MS, BMS, HMS, TMS,

MMS, MMR, KCS, SPS, PB, PST, HGS, GS, SWS, LCS, LCL, PCU

NYLON 塑膠螺絲 PLASTIC FASTENERS /PF, PN

NYLON 雙扣扭線環 PURSE LOCK TWIST TIE /PL

插鞘式電源線結束帶 PUSH MOUNT COLLECT TIE /PHV NYLON

NYLON 插鞘式紮線帶 PUSH MOUNT TIE /PCV, PCVS, PFVS, PGV, PSV, PWVS, PWV, PRVS

NYLON 可退插鞘式紮線帶 RELEASIBLE PUSH MOUNT TIE /PDV, PUV, RPFVS

NYLON / PC板隔離頂柱 PUSH SPACER /PS

NYLON 插鞘式固定座 PUSH TIE MOUNT /PHC, PFS

NYLON 電纜固定頭轉接頭 ENLARGER GLANDS /M

NYLON 電纜固定頭轉接頭 REDUCTION GLANDS /M

NYLON 多孔外迫式電纜固定頭 MULTI-HOLE NYLON CABLE GLAND /AG, EG, AGJ, NPT

NYLON 活用式紮線帶 RELEASIBLE CABLE TIE /HV, HVC, RCV

可退式紮線帶 RELEASIBLE LASHING CABLE TIE /HRCV NYLON

NYLON 平底隔離柱 REVERSE LOCKING CIRCUIT BOARD SUPPORT /RS

NYLON 直角型電纜固定頭 RIGHT ANGLE NYLON CABLE GLAND /NPTA

NYLON 直角型電源線扣 RIGHT ANGLE STRAIN RELIEF BUSHING /SR

NYLON 圓體隔離柱 ROUND SPACER /RSP

NYLON 圓體墊片 ROUND WASHER /RW

NYLON 固定鎖式紮線帶 SADDLE MOUNTING TIE /PMA

NYLON 紮線固定座 SADDLE TYPE TIE MOUNT /HC

平底隔離柱 SCREW FASTENED PCB SUPPORT /CS, CSA, RLS, SCS NYLON

NYLON 旋轉式鉚釘 SCREW ON RIVET /SR

NYLON / 旋轉式塞頭 SCREW PLUG /MSP, PSP

NYLON 鉛封紮線帶 SECURITY TIE /SCT

NYLON 粘式配線固定座 SELF - ADHESIVE CABLE CLAMP /4J, 6J, 8J, 10J, 11J, 12J

NYLON 粘式配線固定座 SELF - ADHESIVE TIE MOUNT /HC, VC

NYLON / 粘式固定夾 SELF - ADHESIVE WIRE CLIP /FC, SWC

NYLON 壓扣式結束帶 SNAP BAND /SNB

NYLON / 扣式護線套 SNAP BUSHING /SB, RSB

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



頁數(Page): 7 of 9 日期(Date): 2017/06/26 號碼(No.): CE/2017/60798A

Test Report

凱士士企業股份有限公司 KAI SUH SUH ENTERPRISE CO., LTD. 台北市延平北路一段38號 38, YEN PING N. RD., SEC. 1, TAIPEI, TAIWAN, R. O. C.

- NYLON 開口型扣式護線套 SNAP BUSHING / OPEN / CLOSED / OSB
- **NYLON** 尼龍鉚釘 SNAP RIVET /SR, SN NYLON 配線槽用鉚釘 SNAP RIVET /SR
- 尼龍捲式結束帶 NYLON SPIRAL WRAPPING BAND /KS NYLON
- **NYLON** 高壓隔離線圈 SPACERS RING /SPR
- NYLON 方型護線套 SQUARE HEAD GROMMET NUT /SGN
- NYLON 隔離扭線環 STANDOFF TWIST TIE /ST
- NYLON 電源線扣 STRAIN RELIEF BUSHING /SR
- **NYLON** 電晶體蓋 TRANSISTOR COVER /TH
- NYLON 電晶體座 TRANSISTOR HOUSING /TH, THR, TR
- **NYLON** 電晶體墊片 TRANSISTOR WASHER /TW, TRW
- NYLON 扣式扭線環 TWIST TIE /TT, TTU
- 壁虎型固定座 WALL PLUG MOUNT /CH NYLON
- **NYLON** 墊片 WASHER /WR
- NYLON 扣式電線固定夾 WIRE CLIP /FC, WH
- NYLON 電源線結束帶 WIRE COLLECT TIE /WCT
- NYLON 插鞘式夾線套 WIRE SADDLE /JWS, JWB, DWS, OWS, PWS, BWS, TWS, RH, RWS, LWS, RCS
- NYLON 配線標誌 SM TYPE CABLE MARKER /SM
- 固定頭螺帽 LOCK NUT /EGL, AGL, NPTL, AGJL, EGH, AGH, NPTH, AGJH NYLON
- NYLON SM型配線標誌 SM TYPE CABLE MARKER /SM
- NYLON 螺紋轉接頭 GLAND ADAPTOR /PG/M
- 階梯式電線固定座 LADDER TYPE CABLE HOLDER /LCH NYLON
- NYLON 管線束緊夾 SNAP CLAMP /SHW
- NYLON 電線固定套 CABLE CLAMP /RC
- NYLON 電纜固定頭內塞塞頭 NYLON CABLE GLAND SEALING PLUG /BPA
- NYLON 重複使用造型紮線帶 CABLE TIE WITH DECORATION TAG /VF
- NYLON 重複使用造型紮線帶(造型) CABLE TIE WITH DECORATION TAG(TAG TYPE) /DT
- NYLON 重複使用造型紮線帶(帶身) CABLE TIE WITH DECORATION TAG(TIE TYPE) /CHV
- NYLON 360度活用造型紮線帶 CABLE TIE WITH 360 DEGREE ROTATION TAG /VA
- NYLON 360度活用造型紮線帶(造型) CABLE TIE WITH 360 DEGREE ROTATION TAG(TAG) /BA

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



頁數(Page): 8 of 9 號碼(No.): CE/2017/60798A 日期(Date): 2017/06/26

Test Report

凯士士企業股份有限公司 KAI SUH SUH ENTERPRISE CO., LTD. 台北市延平北路一段38號 38, YEN PING N. RD., SEC. 1, TAIPEI, TAIWAN, R. O. C. NYLON / 360度活用造型紮線帶(帶身) CABLE TIE WITH 360 DEGREE ROTATION TAG(TIE) /BV

/ 輪胎脫困得力帶 TIRE RESCUE TIE /STT NYLON

NYLON / 掛勾造型活用帶 HOOK TIE/A, DP

NYLON / 掛勾造型活用帶(掛勾) HOOK TIE(HOOK) /AH NYLON / 掛勾造型活用帶(帶身) HOOK TIE(TIE) /T

NYLON / 即刻綑綁帶 HANDCUFF TIE /DV NYLON / 行李好攜帶 LUGGAGE TIE /DE, DP

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): CE/2017/60798A

日期(Date): 2017/06/26

頁數(Page): 9 of 9

Test Report

凱士士企業股份有限公司 KAI SUH SUH ENTERPRISE CO., LTD. 台北市延平北路一段38號 38, YEN PING N. RD., SEC. 1, TAIPEI, TAIWAN, R. O. C.

> * 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

> > CE/2017/60798



** 報告結尾 (End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-Document aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.