


品番：EA440DB-4A

品名：φ12.70x0.8x2000mm 銅管(1/2H・4本)



販売価格	12,200円(税抜)／13,420円(税込)		
カタログ価格	12,200円(税抜)／13,420円(税込)		
在庫数	最新在庫: 2 (2025/12/16 21:44現在)		
商品入数	4	販売単位	組
カタログページ	0028ページ1455ページ		



銅管の規格			
外径	肉厚	重量	単位
φ12.7	0.8	0.0012	kg/m
φ12.7	1.0	0.0015	kg/m
φ12.7	1.2	0.0018	kg/m
φ12.7	1.5	0.0023	kg/m
φ12.7	2.0	0.0030	kg/m
φ12.7	2.5	0.0038	kg/m
φ12.7	3.0	0.0045	kg/m
φ12.7	3.5	0.0052	kg/m
φ12.7	4.0	0.0058	kg/m
φ12.7	4.5	0.0064	kg/m
φ12.7	5.0	0.0070	kg/m
φ12.7	5.5	0.0076	kg/m
φ12.7	6.0	0.0082	kg/m
φ12.7	6.5	0.0088	kg/m
φ12.7	7.0	0.0094	kg/m
φ12.7	7.5	0.0100	kg/m
φ12.7	8.0	0.0106	kg/m
φ12.7	8.5	0.0112	kg/m
φ12.7	9.0	0.0118	kg/m
φ12.7	9.5	0.0124	kg/m
φ12.7	10.0	0.0130	kg/m
φ12.7	10.5	0.0136	kg/m
φ12.7	11.0	0.0142	kg/m
φ12.7	11.5	0.0148	kg/m
φ12.7	12.0	0.0154	kg/m
φ12.7	12.5	0.0160	kg/m
φ12.7	13.0	0.0166	kg/m
φ12.7	13.5	0.0172	kg/m
φ12.7	14.0	0.0178	kg/m
φ12.7	14.5	0.0184	kg/m
φ12.7	15.0	0.0190	kg/m
φ12.7	15.5	0.0196	kg/m
φ12.7	16.0	0.0202	kg/m
φ12.7	16.5	0.0208	kg/m
φ12.7	17.0	0.0214	kg/m
φ12.7	17.5	0.0220	kg/m
φ12.7	18.0	0.0226	kg/m
φ12.7	18.5	0.0232	kg/m
φ12.7	19.0	0.0238	kg/m
φ12.7	19.5	0.0244	kg/m
φ12.7	20.0	0.0250	kg/m
φ12.7	20.5	0.0256	kg/m
φ12.7	21.0	0.0262	kg/m
φ12.7	21.5	0.0268	kg/m
φ12.7	22.0	0.0274	kg/m
φ12.7	22.5	0.0280	kg/m
φ12.7	23.0	0.0286	kg/m
φ12.7	23.5	0.0292	kg/m
φ12.7	24.0	0.0298	kg/m
φ12.7	24.5	0.0304	kg/m
φ12.7	25.0	0.0310	kg/m
φ12.7	25.5	0.0316	kg/m
φ12.7	26.0	0.0322	kg/m
φ12.7	26.5	0.0328	kg/m
φ12.7	27.0	0.0334	kg/m
φ12.7	27.5	0.0340	kg/m
φ12.7	28.0	0.0346	kg/m
φ12.7	28.5	0.0352	kg/m
φ12.7	29.0	0.0358	kg/m
φ12.7	29.5	0.0364	kg/m
φ12.7	30.0	0.0370	kg/m
φ12.7	30.5	0.0376	kg/m
φ12.7	31.0	0.0382	kg/m
φ12.7	31.5	0.0388	kg/m
φ12.7	32.0	0.0394	kg/m
φ12.7	32.5	0.0400	kg/m
φ12.7	33.0	0.0406	kg/m
φ12.7	33.5	0.0412	kg/m
φ12.7	34.0	0.0418	kg/m
φ12.7	34.5	0.0424	kg/m
φ12.7	35.0	0.0430	kg/m
φ12.7	35.5	0.0436	kg/m
φ12.7	36.0	0.0442	kg/m
φ12.7	36.5	0.0448	kg/m
φ12.7	37.0	0.0454	kg/m
φ12.7	37.5	0.0460	kg/m
φ12.7	38.0	0.0466	kg/m
φ12.7	38.5	0.0472	kg/m
φ12.7	39.0	0.0478	kg/m
φ12.7	39.5	0.0484	kg/m
φ12.7	40.0	0.0490	kg/m
φ12.7	40.5	0.0496	kg/m
φ12.7	41.0	0.0502	kg/m
φ12.7	41.5	0.0508	kg/m
φ12.7	42.0	0.0514	kg/m
φ12.7	42.5	0.0520	kg/m
φ12.7	43.0	0.0526	kg/m
φ12.7	43.5	0.0532	kg/m
φ12.7	44.0	0.0538	kg/m
φ12.7	44.5	0.0544	kg/m
φ12.7	45.0	0.0550	kg/m
φ12.7	45.5	0.0556	kg/m
φ12.7	46.0	0.0562	kg/m
φ12.7	46.5	0.0568	kg/m
φ12.7	47.0	0.0574	kg/m
φ12.7	47.5	0.0580	kg/m
φ12.7	48.0	0.0586	kg/m
φ12.7	48.5	0.0592	kg/m
φ12.7	49.0	0.0598	kg/m
φ12.7	49.5	0.0604	kg/m
φ12.7	50.0	0.0610	kg/m
φ12.7	50.5	0.0616	kg/m
φ12.7	51.0	0.0622	kg/m
φ12.7	51.5	0.0628	kg/m
φ12.7	52.0	0.0634	kg/m
φ12.7	52.5	0.0640	kg/m
φ12.7	53.0	0.0646	kg/m
φ12.7	53.5	0.0652	kg/m
φ12.7	54.0	0.0658	kg/m
φ12.7	54.5	0.0664	kg/m
φ12.7	55.0	0.0670	kg/m
φ12.7	55.5	0.0676	kg/m
φ12.7	56.0	0.0682	kg/m
φ12.7	56.5	0.0688	kg/m
φ12.7	57.0	0.0694	kg/m
φ12.7	57.5	0.0700	kg/m
φ12.7	58.0	0.0706	kg/m
φ12.7	58.5	0.0712	kg/m
φ12.7	59.0	0.0718	kg/m
φ12.7	59.5	0.0724	kg/m
φ12.7	60.0	0.0730	kg/m
φ12.7	60.5	0.0736	kg/m
φ12.7	61.0	0.0742	kg/m
φ12.7	61.5	0.0748	kg/m
φ12.7	62.0	0.0754	kg/m
φ12.7	62.5	0.0760	kg/m
φ12.7	63.0	0.0766	kg/m
φ12.7	63.5	0.0772	kg/m
φ12.7	64.0	0.0778	kg/m
φ12.7	64.5	0.0784	kg/m
φ12.7	65.0	0.0790	kg/m
φ12.7	65.5	0.0796	kg/m
φ12.7	66.0	0.0802	kg/m
φ12.7	66.5	0.0808	kg/m
φ12.7	67.0	0.0814	kg/m
φ12.7	67.5	0.0820	kg/m
φ12.7	68.0	0.0826	kg/m
φ12.7	68.5	0.0832	kg/m
φ12.7	69.0	0.0838	kg/m
φ12.7	69.5	0.0844	kg/m
φ12.7	70.0	0.0850	kg/m
φ12.7	70.5	0.0856	kg/m
φ12.7	71.0	0.0862	kg/m
φ12.7	71.5	0.0868	kg/m
φ12.7	72.0	0.0874	kg/m
φ12.7	72.5	0.0880	kg/m
φ12.7	73.0	0.0886	kg/m
φ12.7	73.5	0.0892	kg/m
φ12.7	74.0	0.0898	kg/m
φ12.7	74.5	0.0904	kg/m
φ12.7	75.0	0.0910	kg/m
φ12.7	75.5	0.0916	kg/m
φ12.7	76.0	0.0922	kg/m
φ12.7	76.5	0.0928	kg/m
φ12.7	77.0	0.0934	kg/m
φ12.7	77.5	0.0940	kg/m
φ12.7	78.0	0.0946	kg/m
φ12.7	78.5	0.0952	kg/m
φ12.7	79.0	0.0958	kg/m
φ12.7	79.5	0.0964	kg/m
φ12.7	80.0	0.0970	kg/m
φ12.7	80.5	0.0976	kg/m
φ12.7	81.0	0.0982	kg/m
φ12.7	81.5	0.0988	kg/m
φ12.7	82.0	0.0994	kg/m
φ12.7	82.5	0.1000	kg/m
φ12.7	83.0	0.1006	kg/m
φ12.7	83.5	0.1012	kg/m
φ12.7	84.0	0.1018	kg/m
φ12.7	84.5	0.1024	kg/m
φ12.7	85.0	0.1030	kg/m
φ12.7	85.5	0.1036	kg/m
φ12.7	86.0	0.1042	kg/m
φ12.7	86.5	0.1048	kg/m
φ12.7	87.0	0.1054	kg/m
φ12.7	87.5	0.1060	kg/m
φ12.7	88.0	0.1066	kg/m
φ12.7	88.5	0.1072	kg/m
φ12.7	89.0	0.1078	kg/m
φ12.7	89.5	0.1084	kg/m
φ12.7	90.0	0.1090	kg/m
φ12.7	90.5	0.1096	kg/m
φ12.7	91.0	0.1102	kg/m
φ12.7	91.5	0.1108	kg/m
φ12.7	92.0	0.1114	kg/m
φ12.7	92.5	0.1120	kg/m
φ12.7	93.0	0.1126	kg/m
φ12.7	93.5	0.1132	kg/m
φ12.7	94.0	0.1138	kg/m
φ12.7	94.5	0.1144	kg/m
φ12.7	95.0	0.1150	kg/m
φ12.7	95.5	0.1156	kg/m
φ12.7	96.0	0.1162	kg/m
φ12.7	96.5	0.1168	kg/m
φ12.7	97.0	0.1174	kg/m
φ12.7	97.5	0.1180	kg/m
φ12.7	98.0	0.1186	kg/m
φ12.7	98.5	0.1192	kg/m
φ12.7	99.0	0.1198	kg/m
φ12.7	99.5	0.1204	kg/m
φ12.7	100.0	0.1210	kg/m

仕様

全長	2m	外径×肉厚	12.7×0.8mm
銅管の規格	C1220T	入数	4本
直管(1/2H)			

株式会社エスコ

大阪府大阪市西区立売堀3丁目8番14号 06-6532-6226(代表)

© 2018 ESCO Co.,Ltd.